### REPORT

ON THE

# SANITARY CONDITION

OF THE

### Borough of Birkenhead,

FOR THE YEAR 1881,

BY


### FRANCIS VACHER,

MEDICAL OFFICER OF HEALTH.

#### BIRKENHEAD:

LMER BROTHERS AND CO., LIMITED, 64 AND 66, CHESTER-STREET.

1882.



#### THE SANITARY CONDITION

OF THE

# BOROUGH OF BIRKENHEAD DURING 1881.

## Report of the Medical Officer of Health to the Health Committee.

A Census was taken in England and Wales on April 4th, 1881, and a preliminary report on the same was issued a few months later. The results, however, were not finally settled, so far as regards Birkenhead, till January 20th, 1882. Particulars are given below:—

		Houses	•		Persons.			
CENSUS TAKEN APRIL 4th, 1881.	Inhabited	Uninhabited	Building	Males.	Females	Total		
Birkenhead Claughton Tranmere Oxton Higher Bebington (part of	$\begin{vmatrix} 426 \\ 4264 \\ 541 \end{vmatrix}$	946 38 610 38 49	6	26723 1069 11261 1219 902	$1865 \\ 12726 \\ 2093$	51610 2934 23987 3312 2163		
Argyle Bebington Claughton Cleveland Clifton Egerton Grange Mersey Oxton	325 426 1971 1993 1370 3277	371 49 38 223 276 186 352 148 38	32 7 6 23 111 21 75 23 15	9291 902 1069 6896 5228 3567 10536 2466 1219	1261	17478 2163 2934 12818 11001 7979 21314 5007 3312		
Birkenhead Borough	13232	1681	313	41174	42832	84006		

It will be seen that the population of the Borough, at the date of the Census, was 682 more than it was represented in the preliminary report. The return of houses building was also too low by 86, and the return of uninhabited houses too high by 76.

The population taken at the previous Census, on April 3rd, 1871, was 65,971; the increase in the population of the Borough during the decennium was, therefore, 18,035, i.e., 27·3 per cent. The number of inhabited houses in the Borough at the taking of the Census in 1871 was 10,243; the increase in the number of inhabited houses during the decennium was, therefore, 2,989, i.e., 29·1 per cent.

As, for the purposes of this Annual Report, an estimate is required of the number living at midsummer 1881, it will be necessary to add three months' increment to the Census enumeration. The natural increase to the local population (excess of births over deaths) during April, May, and June was 398; the population of the Borough was thus not less than 84,404 in the middle of the year 1881. The next table shows the population of the several townships forming the Borough, and the number of persons to an acre in each. To the figures as enumerated in April one quarter's births have been added and one quarter's deaths subtracted. Claughton, it will be seen, shows no increment during the quarter, and Bebington a slight decrement.

TOWNSHIPS.		Estimated population at Midsummer, 1881.				
	Males.	Females.	Total.	Acre.		
Birkenhead	26843 1069 11332 1225 898	25019 1865 12802 2092 1259	51862 2934 24134 3317 2157	40·5 6·6 22·5 4·0 8·7		
Birkenhead Borough	41367	43037	84404	21.9		

During the year 1881 the returns of the local registrars recorded 3,059 births and 1,462 deaths in the Borough of Birkenhead. The natural increase to the population in 1881 was, therefore, 1,597. Of the births 1,578 were males and 1481 were females; of the deaths 800 were males, and 662 were females.

During 1880 the births registered were 3,048, and the deaths registered were 1,624. During 1879 the births were 3,112, and the deaths were 1,631. During 1878 the births were 2,932, and the deaths were 1,656.

In the year under review there were thus 28 more births and 175 fewer deaths among the local community than in the mean of the three years immediately preceding.

Further particulars as to the births and deaths in the Borough in 1881, that is to say, the numbers returned in each quarter of the year, and the numbers referred to each township, are given in tables subjoined. The births and deaths in premises belonging to the Union, it will be seen, are entered separately.

Births.	1st	Qr.	. 2nd Qr.		3rd Qr.		4th Qr.		1881.	
1311 03134	м.	F.	м.	F.	м.	F.	м.	F.	М.	F.
Birkenhead Claughton Tranmere Oxton Bebington Union Hospital	254 7 114 9 5 3	223 5 117 11 5 8	253 9 117 16 3 2	240 4 107 7 1 4	235 6 108 6 4 5	242 9 105 8 2 4	270 7 122 15 3 5	240 5 117 12 2 3	1012 29 461 46 15 15	945 23 446 38 10 19
Birkenhead Boro'	392	369	400	363	364	370	422	379	1578	1481

Deaths.		Qr.	2nd Qr.		3rd	Qr.	4th Qr.		`.1.981,	
	м,	F.	м.	F.	м.	F.	м.	F.	M.	F.
Birkenhead Claughton Tranmere Oxton Bebington Union Hospital	151 55 6 6 26	122 $51$ $2$ $2$ $17$	133 7 39 10 7 9	108 6 29 8 3 6	106 3 39 5 3 9	96 2 34 3 -	126 4 32 4 1 15	112 3 37 3 2 11	516 18 165 25 17 59	438 13 151 16 7 37
Birkenhead Boro'	248	196	205	160	165	138	182	168	800	662

The annual rate, per 1,000 living, of births and deaths, as regards the incorporated area and the townships within it, appears in the next table.

1881.						Annual Rate 1	per 1,000 Living		
Birkenhead Claughton Tranmere Oxton Bebington	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	• •	• •	• •	• •	• •	Births. 37.73 17.72 37.58 25.32 11.59	Deaths. 18.39 10.56 13.09 12.36 11.12
Birkenhead I Union	Borou prem	gh, i	inclu	ding	В. а	nd D	). in	36.24	17.32

The birth-rate of the Borough, in 1880, as corrected, is 36.99, and the death-rate 19.70. The birth-rate in 1879, as corrected, is 38.68, and the death-rate 20.27. The birth-rate in 1878, as corrected, is 37.34, and the death-rate 21.09.

The death-rate of Tranmere being so much lower than the township of Birkenhead, and the death-rate of Claughton, Oxton, and Bebington being lower than Tranmere, is in great part due to differences in density of population; Birkenhead being about twice as thickly populated as Tranmere, and about six times as thickly populated as the remainder of the Borough. Then in Oxton there are but few resident poor, and scarcely any in Claughton and Bebington. The proportion of domestic servants and unmarried adults is also exceptionally large in Claughton.

In order that the birth-rates and death-rates, in 1881, of the whole Borough, and the townships it contains, may be compared with the corresponding rates returned by the most populous cities and boroughs in England, we reproduce the following table from the Registrar-General's "Annual Summary of Births, Deaths, and Causes of Deaths, in London and other Large Towns." It gives the birth-rates and death-rates of the twenty chief towns in England, for the 52 weeks ending December 31st, 1881. The estimates of population in the middle of 1881, on which the rates are calculated, are based upon the numbers enumerated in April of that year.

CITIES AND BOROUGHS.	Annual Rate per 1,000 Living.			
London Brighton Portsmouth Norwich Plymouth Bristol Wolverhampton Birmingham Leicester Nottingham Liverpool Manchester Salford Oldham Bradford Leeds Sheffield Hull Sunderland Neweastle-on-Tyno	Births. 34·7 30·6 34·4 33·6 32·7 34·5 35·9 37·2 38·4 36·7 37·6 36·9 38·8 35·4 33·0 36·8 38·0 36·8 38·0 36·4 39·3 36·8	Deaths. 21·2 19·0 19·7 19·5 19·9 19·6 21·2 20·0 21·8 22·4 26·7 25·5 22·6 22·8 19·7 21·6 21·1 23·8 20·9 21·8		
Mean	35.6	21.7		

It will be seen that, of the twenty cities or boroughs in the table, nine had lower birth-rates, and all had higher death-rates than the Borough of Birkenhead; the mean birth-rate of the great cities and boroughs being 0.6 per 1,000 living lower, and the mean death-rate 4.4 per 1,000 living higher than in the Borough of Birkenhead. Yet the density of the population in Birkenhead is greater than in some of the towns in this list: thus the number of persons to an acre, at the middle of the year 1881, was in Norwich 11.8, in Leeds 14.4, in Sheffield 14.5, and in Nottingham 18-9; while in Birkenhead it was 21.9.

In instituting a comparison between the death-rate of Birkenhead and the death-rates of other towns, it should be noticed that whereas the union hospitals and workhouses of most of the cities and boroughs just named generally receive persons from within their own bounderies only; the Union Hospital and Workhouse of Birkenhead receive from Seacombe, Egremont, New Brighton, &c. Seven of those who died in the Birkenhead Union

Hospital and Workhouse, during the year under review, were thus derived from outside the municipal boundary. It may be assumed that some of the patients who died in the other hospitals in the Borough were also derived from without the municipal boundary: but considering the contiguity of a large city to Birkenhead, it is probable that the number of strangers dying in such hospitals does not exceed the number of those who, though ordinarily residing in Birkenhead, die in hospitals belonging to our neighbours.

The local birth-rate and death-rate also compare favourably with the mean of the corresponding rates returned by the fifty towns in England and Wales next in importance to the twenty English cities and boroughs in the table. The mean birth-rate, in 1881, of the fifty large town districts is given in the "Annual Summary" at 35.4, and the mean death-rate at 19.6 per 1,000 living. Birkenhead is one of the large town districts in Lancashire and Cheshire. The remaining twelve are given below. It will be seen that seven had lower birth-rates, and all had higher death-rates than Birkenhead.

Districts approximately representing Towns of	Annual Rate per 1000 Living		
Stockport  Macclesfield Chester St. Helens' Wigan Bolton Bury Ashton-under-Lyne Rochdale Blackburn Preston Barrow-in.Furness	40 "	Deaths. 22.5 23.6 18.5 20.6 22.7 20.4 21.9 24.0 20.9 22.8 22.8 19.4	

The birth-rate of the whole of England and Wales, for 1881, was, according to the Registrar-General's Quarterly Returns, 33.9, and the death-rate 18.9 per 1,000 living. Figures derived from the Quarterly Returns are subject to revision when the causes of death and other details are finally classified.

In the twenty-four European cities furnishing returns, the death-rates for 1881 were as follows:—Paris, 28.6; Geneva, 21.2; Brussels, 23.9; Amsterdam, 23.7; Rotterdam, 23.3; The Hague, 23.3; Copenhagen, 22,1; Stockholm, 24.7; Christiania, 18.8; St. Petersburg, 51.4; Berlin, 27.6; Hamburg (State), 24.5; Dresden, 25.4; Breslau, 32.5; Munich, 32.8; Vienna, 29.0; Prague, 28.9; Buda-Pesth, 35.2; Trieste, 35.6; Madrid, 37.4; Barcelona, 27.8; Turin, 25.6; Milan, 30.0; and Bucharest, 24.5.

The death-rates for 1881 in the three chief cities of the empire of India were:—Calcutta 30.1; Bombay 33.7; Madras 38.8.

The death-rates for 1881 in five American cities furnishing returns were as follows:— New York, 31.0; Brooklyn, 25.6; Philadelphia, 22.5; Baltimore, 26.0; and Chicago, 27. 2.

Birkenhead, therefore compares most favourably with towns at home and abroad, as well as with the whole of England and Wales.

Tabular statements of the year's mortality within the Borough of Birkenhead, classified according to diseases, ages, and localities, a weekly register of deaths, and of meteorological results, a monthly summary of deaths from all causes and zymotic diseases, with the rates per 1,000 per annum, together with a table specifying the occupation, or "description," of each person whose death was entered during the year, a return of deaths in the Birkenhead Union Hospital and Workhouse, and a sketch map showing the boundaries of the wards, &c., will be found appended.

Table I shows the deaths registered in the whole Borough during 1881, arranged with reference to the age at which death occurred in each case. They are disposed in four sub-tables—the deaths in the townships of Birkenhead and Claughton in the first, the deaths in Tranmere (exclusive of the Union premises) and Oxton in the second, the deaths in the incorporated portion of Higher Bebington in the third, and the deaths in the Union Hospital or Workhouse in the fourth. The deaths of infants are entered up in three columns, those under one year, those of one year and under two years, and those turned two years and under

five. Then follow the deaths of children and young persons, those turned five years and under twenty; and of adults, those turned twenty and under forty, and those turned forty and under sixty. In the last two columns are the deaths of old people turned sixty and under eighty, and those eighty and upwards. Reference to this table will show that, of the gross local mortality for 1881, the deaths of infants accounted for 592, children and young persons for 107, adults 461, old people 302. In the townships of Birkenhead and Claughton 422 deaths occurred among infants, 74 among children and young persons, 313 among adults, and 176 among old people. In the townships of Tranmere and Oxton the number of deaths of those under five years was 145, of children and young persons 26, of adults 111, and of old people 75.

The relative proportion of deaths, in 1881, among infants, children and young persons, adults and old people, to the whole number of deaths, in certain sub-divisions of the Borough, in the premises controlled by the Guardians of the Poor, and in the entire area incorporated, is readily shown in tabular form thus:—

Percentage of Deaths at Certain Ages			ards.	
to Total Deaths.	5	20	60	60 and Upwards
Birkenhead and Claughton Tranmere and Oxton Bebington Union Hospital and Workhouse	42·8 40·6 25·0 19·7	7·5 7·2 12·5 4·1	31·7 31·0 37·5 29·1	17·8 21·0 25·0 46·8
Birkenhead Borough	40.4	7.3	31.5	20.6

It is hardly necessary to point out that these figures represent the local mortality in a singularly favourable light. The proportion of deaths of infants, children and young persons to the sum of the deaths is far less than it averages in towns and populous districts, and the proportion of deaths of old people to the sum of the deaths is much more than it averages in towns and populous districts. The local mortality in 1881 compares favourably in this respect with the local mortality returned in previous years, as of the deaths recorded in the old Improvement District of Birkenhead, for a number of years, about fifty per cent. were of children under

five years, and about twelve per cent. were of persons sixty years or upwards, while of the deaths recorded in the Borough in the three years 1878-80 42.5 per cent. were of children under five years, and but 18.5 per cent. were of persons of sixty years or upwards. The figures opposite Bebington have little significance, the number of deaths at all ages being inconsiderable; nor is there any special significance in the small proportion of infants and the large proportion of old people in the death-returns from the Union, the inmates of a workhouse differing from a normal population in respect of age.

Another way of ascertaining whether the infant mortality be in excess is by finding the proportion of deaths under one year to the births registered. Measured thus, the rate of infant mortality for 1881 is found to be equal to 121 per 1,000 in the townships of Birkenhead and Claughton, 89 per 1,000 in Tranmere and Oxton, and 112 per 1,000 in Birkenhead Borough. In the three years 1878-80 the rate of infant mortality was equal to 133 per 1,000 in the townships of Birkenhead and Claughton, 116 per 1,000 in Tranmere and Oxton, and 128 per 1,000 in Birkenhead Borough. The rate of infant mortality in the whole of England and Wales in 1881 was 130, and in the three years 1878-80 it was 146 per 1,000 births. In the fifty large town districts in 1881 it averaged 140 per 1,000 births, being 173 at Stockport, 169 at Macclesfield, 125 at Chester, 125 at St. Helens, 162 Wigan, 152 at Bolton, 154 at Bury, 162 at Ashton-under-Lyne, 135 at Rochdale, 183 at Blackburn, 173 at Preston, and 138 at Barrow-in-Furness. In the twenty most populous cities and boroughs in England it averaged 152, ranging between 119 at Portsmouth and 202 at Leicester.

As this is justly considered the fairest way of estimating the infant mortality, and the infant death-rate affords a better index of the local sanitary condition than the general death-rate, it is exceedingly satisfactory to note how favourably in this respect Birkenhead compares with the great centres of the population. The Registrar-General remarks upon the decline of infant mortality in 1881, compared with that which prevailed in preceding years,

and though Birkenhead has hitherto compared favourably with the general death-rate in this respect, the decline, in 1881, is more marked in Birkenhead than elsewhere.

Table II is the weekly register of deaths in the Borough of Birkenhead for 1881. The deaths are entered as in Table I into our sub-tables, representing Birkenhead and Claughton, Tranmere and Oxton, Bebington, and the Union Hospital and Workhouse. The upper portion of Table III is a summary of the weekly register of deaths, and the lower portion is a record of meteorological results.

By way of introduction to the few observations we propose making on the noteworthy features of the meteorology of the year, we submit the following statement of the mean temperature and atmospheric pressure, and the amount of rainfall, in each month of 1881. It has been kindly prepared for us by Mr. Hartnup, of the Bidston Observatory, who also furnishes particulars of the daily observations taken under his directions.

1881.	Mean Temperature.	Mean Barometer.	Rainfall on Ground.
T	Dgs.	Inches.	Inches.
January	30.5	29.910	1.093
February	38.1	29.793	3.287
March	41.7	29.840	2.859
April	45.4	29.977	1.543
May	53.0	30.062	2.717
June	56.4	29.931	2.352
July	60.5	29.947	2.602
August	57.1	29.778	4.336
September	55.1	29.980	1.613
October	46.3	30.011	3.059
November	48.6	29.785	2.467
December	40.0	29.897	2.740

The record of results in the table appended gives the mean height of barometer, the mean temperature, mean of evaporation, the rainfall in inches, the number of hours in which rain fell, the average percentage of cloud to clear sky, as adduced from two daily observations, the mean hourly horizontal motion of air in miles, and the percentage of time westerly winds prevailed, for the fifty-two weeks ending December 31st, 1881.

The table of meteorological results shows as follows:—(1.) That the mean of the barometer was a little lower in 1881 than the average, and lower than in 1880. In the second quarter it was higher in 1881 than in the previous year, and than the average. (2.) The mean temperature of 1881 was about a degree and a third below the average, and the temperature of 1880. During January the temperature was unusually low, and there was no excessive heat during summer or autumn. (3.) The rainfall of 1881 was threefifths of an inch below the rainfall of 1880, but about an inch-anda-half above the average amount. The rain was more than usually evenly distributed over the four quarters. The number of hours in which rain fell is set down as 609-about 30 hours more than the average number. The proportion of cloud to clear sky was about the mean proportion. Westerly winds were more prevalent than in the last two years. The humidity of the air, during the year under review, was in excess; and the wind force considerably exceeded its mean, especially in the last quarter.

The year's meteorology naturally introduces the next subject to be considered, the distribution of the mortality over the four quarters; as the relative mortality of different portions of the year must necessarily be affected by the atmospheric conditions which have marked its progress. Of the sum of the deaths registered in the townships of Birkenhead and Claughton, 279 were entered to the first quarter, 254 to the second, 207 to the third, and 245 to the fourth; of the sum of the deaths in Tranmere and Oxton, 114 appear in the first quarter, 86 in the second, 81 in the third, and 76 in the fourth. In Bebington the numbers of the deaths registered in the four quarters were respectively 8, 10, 3, 3; and in the Union Hospital and Workhouse the numbers were 43. 15, 12, 26. The death totals were therefore very unequally distributed over the four quarters. In the first quarter, when the thermometer was for several weeks below freezing point, the mortality was highest; and in the third quarter, when the heat was below the mean of the quarter, the mortality was lowest.

The following table gives the mortality of the four quarters, in the Borough and in certain portions of it, stated as percentages of the year's deaths:—

Percentage of Quarters' Deaths to Year's.		Quarters.				
Icui s.	1st	2nd.	3rd.	4th.		
In Birkenhead and Claughton In Tranmere and Oxton	28.3 31.9 42.5	25.7 24.0 20.8	21.0 22.6 12.5	$ \begin{array}{c} 24.8 \\ 21.2 \\ 24.1 \end{array} $		
In Birkenhead Borough	30.3	24.9	20.7	23.9		

The increased death-rate which obtained in the first quarter is in part due to the prevalence of whooping-cough in the township of Birkenhead, and measles in Tranmere and at the Workhouse, and in part to the increased fatality of bronehitis during the severe weather.

The eauses of death, as they appear in Tables I and II in the appendix, are systematically elassified according to the principles laid down by Dr. W. Farr, the nosology being that adopted by the Registrar-General, which experience has shown to be the best for statistical purposes. The death-eauses are arranged under classes and orders, the latter corresponding to the "families" of Natural History. Genera, or what in diseases would be called varieties, are not distinguished. All death-eauses are thus conveniently classified under 116 heads, some of which, however, include diseases very distinct from one another.

At the beginning of Table I are the totals of deaths from all causes, and on the next line the totals of deaths from specified eauses. The deaths which we are obliged to refer to unspecified causes are not only those ascribed, in legal phraseology, to "visitation of God" or "natural eauses," but those which, with almost equal vagueness, are eertified as due to "tumour," "abscess," "eoma," &c. The deaths from specified causes are then divided into five classes. Class I (the zymotic) embraces all diseases, either epidemic, endemic, or contagious, which are induced by some specific body, or by want of or by the bad quality of food. The diseases coming under Class II (constitutional or eachectic) appear to be due to a bad habit of body, and are sometimes hereditary.

Class III takes in diseases the effects of which are manifest in disturbing or obliterating the functions of particular organs or systems. Class IV includes the conditions tending to produce death, which are the incidental results of the formative, reproductive, and nutritive processes. Class V groups together all deaths which are the evident and direct result of physical or chemical forces.

Of the 1,440 deaths from specified causes registered in the Borough during the year 1881, 231 were ascribed to zymotic diseases, 236 to constitutional diseases, 679 to local diseases, 221 to developmental diseases, and 73 to violence. The proportion of zymotic deaths to the whole number of deaths was 15.8 per cent.; in the townships of Birkenhead and Claughton it was 15.2 per cent.; in Tranmere and Oxton it was 16.8 per cent.; in Bebington 12.5 per cent.; and in the Union premises it was 18.7 per cent. The proportion deaths ascribed to zymotic diseases bear to deaths from all causes is, however, a matter of no great significance, as of course the general death-rate varies considerably from year to year, and any cause increasing this makes the proportion of zymotic diseases compare more favourably.

An accurate estimate of the relative fatality from zymotic diseases, and from the other four classes of death-causes just referred to, can only be made by taking out the death-rate per 1,000 living, as respects each of the five classes. This has been done, and the results are displayed in the following table. Parallel with the column containing the death-rates for 1881 are the corresponding death-rates for 1878, 1879, and 1880. The calculations are based upon the corrected census returns.

Classes.	Annual	Death-rate	e per 1,000 l	Living.
Oliusbus,	1878.	1879.	1880.	1881.
Zymotic Diseases	4.87 3.08 8.58 3.36 .86	3.81 2.49 9.11 3.53 .95	4.01 3.28 8.53 2.86 .71	2.73 2.79 8.04 2.61 .86

The table shows at a glance that each of the four classes of diseases presented a lower death-rate in 1881 than in the previous year or than the average rate of the three previous years. It will be noticed that the zymotic death-rate was markedly lower in 1881 than in 1878-80. The deaths from violence in 1881 were slightly in excess of the average number in recent years.

The 231 deaths referred to zymotic diseases include 180 by what have been termed the chief zymotics (certain diseases belonging to the miasmatic order), viz., measles 49, scarlatina 20, diphtheria 5, whooping-cough 45, fevers 24, and diarrhea, 24. The remaining 51 are entered to what have been called minor zymotics (diseases less prevalent, less fatal, or less obviously zymotic in character), viz., syphilis 14, croup 9, rheumatism 9, inanition of infancy 6, erysipelas 5, dysentery 2, alcoholism 2, and one each to carbuncle, mumps, purpura, and thrush.

The mortality from the chief zymotics is, like the gross zymotic mortality, far below the local mean in previous years; and it compares favourably with other urban mortalities during the same period. In Birkenhead Borough the chief zymotic death-rate was, in 1881, 2·1. In the twenty most populous English towns, during the same year, the mean rate was 3.4. In the fifty large town districts next in importance to the twenty the mean rate was 2.3.

The death-rates in respect of the principal and other zymotics during 1881, are given in the next table. Corresponding rates for 1878, 1879, and 1880 have been added for comparison. All the calculations are from estimates of the population based on the new census returns.

Zymotic Diseases.	Annual Death-rate per 1000 Living.						
	1878.	1879.	1880.	1881.			
Measles Scarlatina Diphtheria Whooping-cough Fevers Diarrhœa Other Zymotics	.17	.28 1.55 .23 .17 .42 .41 .73	.18 .90 .13 .84 .28 .93 .75	.58 .23 .05 .53 .28 .43 .60			

It affords us satisfaction to note that another year has passed without any fatality from smallpox, an exemption enjoyed by the Borough since 1877, the year of the smallpox epidemic. March 16th the town narrowly escaped a visitation of the disease, the sailing ship "Belvidere" arriving with six cases of smallpox on The initial case occurred on the high seas on February 25th, and this patient died on March 5th, and the body was thrown overboard. Subsequently six of the crew (all coloured men) caught the disease, and on the arrival of the vessel these men were removed to the Port Hospital and the ship cleansed and disinfected. three months later, that is to say on June 20th, a mild case of the disease appeared at No. 14, Egerton Terrace. The patient was a youth, twenty years of age, and presented two fairly good vaccination marks. Though lodging at Birkenhead he was regularly employed at an insurance office in Liverpool. The eruption was discrete. The patient was not removed, but every care was taken to prevent the spread of the disease, and fortunately it did not spread. On no less than three occasions has the Sanitary Authority received information of an outbreak of smallpox, which on investigation was shown to be unfounded. On May 13th a case was reported at Lee's Place, which proved to be measles; on June 24th cases were reported at Prenton Lane, which proved to be chicken pox; and on December 3rd a case was reported at Union Street, which proved to be bronchitis.

The one zymotic disease the mortality from which was somewhat in excess of the mean rate was measles. It was epidemic in Tranmere during the first five months of the year, and during the same period to some extent in Birkenhead. Whooping-cough, which was more than usually prevalent during the latter part of 1880, continued unabated till April 1881. It was not confined to any part of the Borough, but in 1881 was most fatal in the township of Birkenhead. The mortality from scarlatina and diphtheria was, taken together, lower in 1881 than in any year on record. The death-rate from diarrhea in 1881 was considerably less than half the mean rate of a number of years. This being so much lower than usual is doubtless in great part due to the comparatively low temporatures recorded during the summer and autumn.

Of the 24 deaths ascribed to fever 12 were distinguished as typhus, 11 as typhoid or enteric, and one as remittent. The fever death-rate is about half the mean rate of a number of years. Some particulars of the deaths referred to typhus are subjoined, viz., where each case occurred, the sex, age, and destination of each patient, and the date of each death.

Where Case occurred.			and of ent.	Destination.	Date of Dea	ath.
6, Ruabon Street 2, Wye Street 3, Wrexham Street 38, Abbot Street 140, Conway Street 17, Rock Lane 47, Cathcart Street Ditto 44, Abbot Street 135, Beckwith Street	• • •	F F M F M	37 40	Ditto Fever Hospital Ditto Ditto Not Removed Ditto Ditto Ditto	May June October "," "," November	12 24 21 24 3 9 15 18 24 7 9

The history of the rise and spread of two local outbreaks of typhus during 1881 is not without interest as furnishing negative evidence of the advantages of early notification and isolation of cases of this disease. Again, it is worthy of observation that of the five cases which were reported and removed at once, the disease was not communicated in any one case. These five cases are (1) the patient in Garnet Street, a policeman, removed on March 2nd; (2) a seaman from shipboard, removed on March 9th-early advice was given, and the fever van was at the quay side when the vessel docked; (3) the patient in Conway Street, keeper of a small shop, removed on October 3rd; (4) the patient in Rock Lane who had lately arrived from Worcestershire, removed on October 13th; and (5) a joiner from No. 3, Menai Street, removed on Christmas Eve. The disease did not spread in the Wye Street case, though the Authority got no advice of it till after its fatal issue. The case was in the care of an experienced practitioner, and necessary precautions were taken.

The deaths in Ruabon Street, Wrexham Street, and Abbot Street were in connection with an outbreak of which the following is a record:—The subject primarily infected, so far as can be ascertained, was a "holder-up," residing at No. 6, Ruaben Street. The case was not reported till death had taken place, and then through the registrar. The deceased left behind five children who all took the disease, but eventually recovered. The parish surgeon was in attendance. The next family affected also resided in Ruabon Street, but, before manifesting any signs of the disease, had removed into a house in the adjoining court—No. 3, Wrexham Street. The members of this family had been in communication with the ether family, and one after another they all (father, mother, five children and a lodger) caught the disease. On the death of the eldest child it was found necessary to apply to a magistrate for an order to remove the body to the public mertuary, and it was buried from there. This family also were throughout professionally attended by the parish surgeen, and they were in receipt of relief from the Guardians. A few days before the death took place the chief inspector of nuisances brought up a report en the condition of the premises and the accommodation available for the sick, and the Health Committee instructed the Town Clerk to write to the Local Government Board, enclosing a copy of the inspector's report, and requesting the Board to require the Guardians to remove the patients to hospital. This was done, and, in due course, the letter and report were forwarded to the Guardians by the Local Government Board, with a request for the observations of the Guardians thereen. The communication was considered at a special meeting of the Guardians, en July 1st, and it was decided to reply to the Board, reciting the facts, and stating that the responsibility rested upon the Sanitary Committee of the Birkenhead Corporation, and not upon the Guardians; and to ask the Board whether under the circumstances of this case the Guardians or the Town Council were the Sanitary Authority. Shortly afterwards the following letter was received by the clerk of the Guardians from the Local Government Board :-

LOCAL GOVERNMENT BOARD,

WHITEHALL, JULY 8, 1881.

Sir,—I am directed by the Local Government Board to acknowledge the receipt of your letter of the 1st instant, with reference to the cases of typhus fever which have recently occurred in the Birkenhead urban sanitary district. In reply to your inquiry whether it is the duty of the Board of Guardians, or that of the Sanitary Authority, to provide infectious hospital aceommodation for eases similar to those in question, the Board direct me to state that they consider it is the duty of the Guardians to arrange for tho proper treatment of every person suffering from infectious diseaso who is without the means of obtaining such necessaries (including medical attendance and nursing) as he may require, and that it is only when the removal of the patient to an hospital is merely necessary for the purpose of isolation, and the person is not destitute either wholly or to the extent above referred to, that it devolves upon the Sanitary Authority to deal with the case. As regards your remarks respecting the charge of £1 a week made by the Birkenhead Town Council for the maintenance of each pauper patient in the Borough Fever Hospital, and which the Guardians think excessive, the Board direct me to observe that an arrangement has recently been made by the Guardians of the township of Manchester, under which they pay 25s, per head per week for the maintenance of pauper patients in an infectious hospital.

I am, &c.

J. F. BOLTON,

ASSISTANT SECRETARY.

At the meeting of the Guardians at which this was read, it was resolved that the terms offered by the Health Committee, to take pauper fever cases into their Hospital, at £1 a week, be accepted.

From Wrexham Street typhus was communicated to a family at No. 18, St. Mary's Gate. The eldest son had been a shopmate of one of the sufferers in Wrexham Street and had met him on several occasions, and caught the disease. This lad communicated the disease to his mother, whence it spread to five children. another difficulty stood in the way of removing the patients. lived in a fairly commodious house, were attended by a private medical practitioner, and the head of the family was not himself ill, and declined to consent to the removal of the sick to hospital. They could not be removed under the 124th clause of the Public Health Act, as it was impossible to certify that they were "without proper lodging or accommodation, or lodged in a room occupied by more than one family." The disease lingered on in the house, one child sickening after another till September, and from this it spread to the family of a sheemaker at No. 38, Abbot Street. September 27th, a mother and four children were reported ill with

typhus, and were at once removed to Hospital. On October 6th, after the death of the mother, two more children were reported and received into Hospital. On October 30th another case was reported at No. 27, Abbot Street, and at once received into Hospital. next case was reported at No. 44, Abbot Street, on November 6th. but the patient was then too ill for removal and died the following day. Four days afterwards a lodger from the same house was received into Hospital. The last case in this street was at No. 18, and was reported to the Authority on November 24th. On the same date three cases were reported at No. 9, St. Mary's Avenue. The final case of this outbreak, so far as is known, was the mother of the lodger at No. 44, who sickened at her lodging in Market Street early in December and died on the 22nd. We have only to add that while the family from No. 38, Abbot Street were in the Fever Hospital the disease was communicated to the matron of the Hospital, to one of the nurses, and to a domestic servant. Thus typhus spread from one fatal case in Ruabon Street, which was not reported or isolated, and was communicated to thirty-seven persons, four of whom died.

The outbreak of typhus in September, at the north end of the town, was not so widespread as the above, but, relatively, more atal. It appears to have originated at a house in Vittoria Street, No. 93, where a death took place on September 16th. The death was certified as from pneumonia, but there is reason to believe that the real cause of death was typhus. The body was kept nearly a week previous to burial. After the lapse of an incubation period of about a fortnight, the deceased's son, aged 41 years, also living at No 93, Vittoria Street, took fever, and died on October 12th, the death being certified as typhoid. This man's wife (40 years) and daughter (12 years) caught the fever and recovered. The next patient was a second son (37 years) of the man said to have died from pneumonia. He, with his brother, had attended the father's funeral. He resided at No. 47, Catheart Street, and died on October 18th, the death being certified as from typhus. communicated the disease to his wife (40 years) and she died on the 24th, the death being certified "typhus." The wife of a third son, residing in Liverpool, and who came over to the house in Vittoria Street to attend the funeral also caught fever, but recovered. The next victim was a nurse (61 years), living at No.

135, Beckwith Street, who was at No. 93, Vittoria Street, assisting the patients there, on October 11th. She died on November 9th and the death was certified "typhus." She communicated the disease to her daughter (28 years), who recovered. The clergyman of the district in which both No. 93, Vittoria Street and No. 47, Cathcart Street are situated, and who visited fever patients at both houses, also caught fever, and there is no doubt that what he suffered from was typhus. Thus from a case which was not diagnosed as fever, and which one is only led to conclude must have been fever from what followed, there arose nine cases, four terminating fatally.

The difficulties in the way of repression of typhus that the Sanitary Authority has had to contend with are therefore of four kinds:—

- I. The Guardians of the Poor affording out-door relief to persons suffering from typhus instead of having them removed to hospital.
- II. No intimation of cases of typhus being sent to the Sanitary Authority till after death, when the advice comes through the registrar.
- III. Cases of typhus being incorrectly returned as pneumonia or typhoid fever. It may be said there is no sufficient proof of this. The reply is that it has several times happened that in a single family suffering from fever, the bread-winner attended by one doctor has been certified as suffering from typhus, and his wife or daughter attended by another doctor has been certified as suffering from typhoid, or *vice versa*.
- IV. Inability to remove infectious patients to hospital, except in rare instances, without the consent of them or their friends—in other words the insufficiency of the power given in the 124th clause of the Public Health Act. What is wanted is power to remove without consent, on a justice's order, whenever a patient cannot be properly isolated so as to prevent the spread of the disorder, or properly treated. If the words "or lodged in a room

occupied by more than one family" could be struck out of the 124th clause it would be materially strengthened; as when a general description, such as "without proper lodging," is followed by a specific description of certain improper lodging, the specific description is apt to be construed by justices as interpreting the general description.

It is pleasant to reflect that some of these difficulties are in the way of being removed. The first is obviously not likely to recur, and the second disappeared when the Birkenhead Corporation Act, 1881, came into force, on January 1st, 1882.

Having given the death-rates in Birkenhead so far as regards the five classes into which death-causes have been divided, and the principal and other zymotics, we now submit a table showing the death-rates in the Borough so far as regards the orders under which the death-causes belonging to classes II, III, and IV have been grouped. Parallel with the column containing the rates for 1881 are death-rates for the three previous years, based upon estimates derived from the revised census returns.

Constitutional, Local, and Developmental	Annual Death-rate per 1,000 Living.							
Diseases.	1878.	1879.	1880.	1881.				
Diathetic Diseases	.53 2.54	.61 1.88	.71 2.57	.46 2.33				
Diseases of Nervous System ,, Organs of Circulation ,, Respiratory Organs ,, Digestive Organs ,, Urinary Organs ,, Organs of Generation ,, Organs of Locomotion ,, Integumentary System	2.64 1.20 3.36 .94 .27 .03 .02	2.63 .88 3.92 1.04 .39 .06 02 .13	2.41 1.00 3.07 1.28 .54 .04 .08	2.34 .88 3.09 1.04 .43 .02 .07 .14				
Developmental Diseases of Children ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	.15	.90 .08 1.13 1.40	.78 .12 .68 1·28	.68 .16 .58 1.18				

The two orders under which constitutional diseases have been arranged have little in common except that in typical diseases in each order new morbid products are deposited. Diathetic diseases account for 39 deaths, of which 23 were due to cancer, 5 to mortification, 4 to dropsy, 3 to gout, 3 to anæmia, and 1 was due to cancrum oris. All but three in this order were deaths of adults. Tubercular diseases account for 197 deaths, of which 120 were due to phthisis pulmonalis, 53 to hydrocephalus, 17 to tabes mesenterica, and 7 to scrofula. Fifteen of the deaths from phthisis, and all but one of the deaths ascribed to the other tubercular diseases were of children and young persons. The diathetic and tubercular death-rates are both below the local mean rates.

Of the eight orders under which local diseases have been arranged, the first four account for an overwhelming proportion of the mortality referable to this class. The deaths from diseases of the brain and nervous system, in 1881, were 198, the deaths from diseases of the heart and bloodvessels were 75, the deaths from diseases of the respiratory organs were 261, and the deaths from diseases of the digestive organs were 88. The deaths entered to diseases coming under the remaining four orders were 57. Of the whole number of deaths from local diseases 211 were of infant under five years of age. Nervous diseases, heart disease, and diseases of the respiratory and digestive organs all yield death rates below the mean of previous years.

Of the death-causes in Class IV, 58 were ascribed to so called developmental diseases of children, i.e., premature birth, mal formations and teething, 14 to diseases and conditions incidental t tedious or complicated travail, 49 to old age, and 100 to diseases c nutrition, that is atrophy, debility and marasmus. The death-rate in respect of all these orders of diseases, except the second order are below the mean. Fourteen deaths is above the mean annuan umber ascribed to child-birth, in some years the sum of the death attributed to this cause being but six or seven. It is, however, a indisputable fact that deaths in child-bed are occasionally certificate due to peritonitis, convulsions, &c., without any reference in the certificate to the puerperal condition. The mortality in child bed is in this country, according to M'Clintock 1 in 123. The

onclusion of Dr. Matthews Duncan, who has investigated this question with great care, is very similar, viz., that "not fewer than in every 120 women delivered at or near the full time die within he four weeks of childbed." It is not therefore unreasonable to nfer that as the number of births in Birkenhead in 1879, 1880, and 1881 were respectively 3,111, 3,048, 3,059 the number of leaths in child-bed were not as registered 7, 10, and 14, but about 25 in each year.

The number of inquests held during 1881 was 100; thus 6.8 per cent. of the sum of the deaths in the Borough formed the subject of judicial inquiries. Of these inquests 76 were in the township of Birkenhead, 20 were in Tranmere, two were in Oxton, and two were held in the workhouse; 72 were on the bodies of males and 28 on the bodies of females.

Not all the death-causes which are classified represent diseases or symptoms observed and certified by medical men in attendance during the last illness, or verdicts following official investigations. A significant proportion of the death-causes were entered in the register on the doubtful testimony of deceased persons' relatives, or friends, or fellow-lodgers. In an analysis of the mortality of a district the number of such deaths should always be noted; the registrars have, therefore, been required to mark in the returns furnished every death not certified by a registered practitioner, or made the subject of a coroner's inquest. In 1881, out of the 1,462 deaths registered 27 (18 males and 9 females) were marked "not certified"—that is 1.8 per cent. Six of these uncertified deaths (including one death in the workhouse) took place in Tranmere, the remainder in the township of Birkenhead. Only seven of the deceased were adults at the time of death, the rest being under one year. The causes of the 27 deaths have been entered in accordance with the statements of persons giving information to the registrars, as follows:-

1 to diarrhea,

1 to chronic rheumatism,

1 to phthisis,

1 to apoplexy,

8 to convulsions,

1 to pneumonia,

1 to asthma.

1 to chronic disease of stomach,

6 to premature birth,

4 to debility,

1 to marasmus, and

1 to suppression or retention of urine.

As under the Registration of Births and Deaths Act, Clause 20, every registered medical practitioner is required to certify as to the cause of death of any person he may have attended during his or her last illness, it is but reasonable to assume that when a cause of death appears in the register as "not certified," the subject of the death has either been without attendance, or committed to the care of some quack or herbalist. The only local practitioner who possessed a registerable qualification, without being on the register, died in January, 1879; the alleged causes of death in the uncertified entries are therefore absolutely valueless, and must be accepted merely as representing the opinions of nurses or nostrum-vendors. Some of the expressions made use of, in the above list, as phthisis, pneumonia, chronic diseaso of the stomach, and marasmus, are terms that would hardly be employed except by those laying claim, rightly or wrongly, to some knowledge of medicine. The unqualified person who gave information to the registrar that a man had died of suppression or retention of urine must, if he had been treating the case have possessed an amount of assurance rarely surpassed. Fortunately the proportion of these uncertified deaths is diminishing year by year-in 1879 it was 3.3 per cent. of the whole number, and in 1880 it was 2.2 per cent. However, it is a sad reflection that nearly three-fourths of the number are infants If professional advice is not obtained for an adult when sick, it may be owing to his own default, but if it is not obtained for a sick infant it is obviously referable to the neglect of others. In any case in which the services of a qualified medical practitioner are not procured they are probably not sought, for so manifold are the means of obtaining medical relief in Birkenhead, that no one can plead poverty as an excuse for not doing his duty to his child in this respect. The question arises-what was the actual cause of death in respect of the twelve babies in the list who are supposed to have died of convulsions or debility? Doubtless, some died of tubercle, some of syphilis, some of exposure, and some from being dosed with soothing syrups or teething powders. Doubtless, also, in some the cause of death was more or less directly due to their being prodigies of uncleanliness—their poor little unwashed bodies being habitually wrapped in soiled clothes, and fed with sour pap from dirty bottles. Then as to the six deaths ascribed to premature birth, mainly on the representation of irresponsible midwives, one is tempted to ask—how is it possible to check the use of abortifacients if the deaths of infants can be thus readily registered?

Having now fully discussed Tables I, II, and III, in the appendix, we come to Table IV, in which the deaths registered during 1881 are classified according to the localities in which they The Street Register is divided into three parts—the part marked "A" including the streets and places in the old Bir. kenhead Improvement District; the part marked "B" the streets and places in Tranmere and Oxton; and the part marked "C" the streets and places in the incorporated portion of Bebington. Opposite each street or place is the number of deaths, from all causes and from zymotic diseases, registered as occurring in that street or this table (and in Tables I, II, and III) we have not placed the names of townships as indicating the locality referred to, but the names of wards. Thus the old Improvement District appears as Cleveland, Claughton, Grange, and Argyle Wards; Tranmere and Oxton appear as Oxton, Egerton, Clifton, and Mersey Wards; and the portion of Bebington incorporated appears as Bebington Ward. As we felt that particulars of the number of deaths from all causes, zymotic diseases and causes not certified, in each ward, would prove interesting, and as the Street Register does not afford this information, we have drawn up the table here submitted. A few of the deaths could not be classed, as many of the streets in the Borough run through two or more wards, or form the boundaries between wards, and the person acting as informant to the registrar is occasionally unable to give the number of the house in which the death took place; and many sudden deaths occur at the docks, or the railway extension in connection therewith, or in the street, and the precise locality is never recorded.

Wards.		s from auses.	Zym	from actic ases.	Deaths from Causes Uncertified.		
	M.	F.	M.	F.	М.	F.	
Cleveland Claughton Grange Argyle. (Ward not Specified) Oxton Egerton Clifton Mersey (Ward not Specified) Bebington	148 18 214 148 6 25 44 74 44 3 17	111 13 179 142 6 16 44 72 34 1 7	26 1 30 18  5 17 5 	22 1 32 20  3 8 13 4 	9 4	3  1 2 	

This table will, with the Street Register, furnish all the information that can be required on the subject. It is well to note that the streets opposite which the highest death-totals appear are not the streets in which the mortality was really highest. In 1881, as in past years, there was most sickness, and most fatal sickness, in the smaller streets and alleys inhabited by the very poor.

The following table shows the relative mortality of the wards during 1881:—

	1881.				Estimated Population at Midsummer	General Death-rate per 1,000 Living	Zymotic Death-rate per 1,000 Living
Cleveland V	Ward	• •			12880	20.10	3.72
Claughton	,,		• •		2934	10.56	0.68
Grange	,,				21419	18.34	2.89
Argyle	,,				17563	16.51	2.15
Oxton	,,				3317	12.36	2.41
Egerton	11 **				8028	10.96	1.61
Clifton	,,		• •		11068	13.19	2.71
Mersey	,,		• •		5038	15.42	1.78
Bebington	,,	• •	• •	• •	2157	11.12	1.85
Birkenhead localized	, includin and in U				84404	17:32	2:73

Except as regards Cleveland, Grange, and Argyle Wards, this may be taken as fairly indicating the great difference there is in the healthiness of different parts of the Borough. The number of deaths in Cleveland Ward is unduly high owing to the deaths in the Borough Hospital and Fever Hospital, and the number of deaths in Grange Ward is unduly high owing to the deaths in the

Children's Hospital and Hemingford Lodge. Taking these deaths from the ward totals, and arranging them as far as is possible, under the wards from which the deceased were derived, the general death-rate of Cleveland, Grange, and Argyle Wards is respectively 17.39, 17.55, and 17.08; and the zymotic rate is respectively 2.87, 2.98, and 2.27. Many of the deaths which took place in the hospitals could not be referred to any ward as the addresses are not given in the hospital books, and the deaths which took place in Hemingford Lodge (a sort of alms-house for the aged) could not be thus referred. The four deaths which took place in the Lying-in Hospital were of infants born on the premises.

As a supplement to the Street Register, it has been deemed advisable to add a return of the deaths in the Union Hospital and Workhouse, giving in each case the address of the deceased, when admitted into the Union, and the date of admission. The sex, age, occupation, date and cause of death are extracted from the register, and the information in the last column has been supplied by the Master of the Workhouse. The return is an important one in many respects, and enables us to submit a summary of the localities from which patients dying in the Union were received.

Localities from which		Ye	ar wh	en A	dmit	ted to	Uni	on.		
Patients dying in Union were received.	1866 to 1872	1874	1875	1876	1877	1878	1879	1880	1881	Total.
Cleveland Ward Claughton ,, Grange ,, Argyle ,, Egerton ,, Clifton ,, Mersey ,, B'head,Ward not specified Scacombe Egremont New Brighton s.s. "City of Manchester" Kidderminster No Address Union Schools Born in Workhouse	3	1	1	1	1 3		3 2 3 1 2 1 1	2 2 5 2 1 1 1 2	3 1 7 18 1 2 2 2 1 2 1 1 5 2 3	10 1 12 34 1 5 3 4 3 2 1 1 1 9 2 6
	4	2	1	1	4	3	13	16	51	95

It will be seen from this summary that 46 per cent. of the deaths which took place in the Union, during 1881, were of inmates who had been received prior to January 1st, 1881, and that a little over 7 per cent. were derived from outside the municipal boundary. No attempt has been made to add the deaths which took place in the workhouse to the death-totals of the wards. A large proportion of those who died had long been inmates, and of the 34 who were drawn from the wards in 1881 several were not ill till after being received into the Workhouse. For instance of the 18 deaths from zymotic diseases in the return two-thirds were due to measles probably in all cases but one caught on the premises.

Table V, in the appendix, shows the general and zymotic mortality, month by month, throughout the year. The general death-rate ranged from 22.9 in March to 13.4 at the end of the third quarter. The zymotic death-rate was also highest (4.3) in March and lowest (1.3) at the end of the third quarter.

The last of the tables appended, Table VI, gives the "description" of all those whose deaths have been registered during the year. The information is furnished in each case by the person registering the death, and is, doubtless, trustworthy. table may be of some use in supplying the material for a rough estimate of the effects of the year's mortality on the local community; i.e., the loss sustained by the professional and commercial classes, the artisan and labouring classes, and that largest class of all, the non-productive. Those also employed in any recognised form of skilled or unskilled labour may here see the number of deaths, in 1881, in the ranks of fellow-workers in the Borough. The number of bread-winners removed by death from the local community, in 1881, is computed thus :- The first two columns of table VI are cast and added together, giving 468, and from this is subtracted the sum of those described as annuitants, pensioners, gentlemen, ladies, retired tradesmen, &c., of no occupation, or whose occupation is "unknown," which leaves 423. The number of bread-winners (estimated in the same manner) dying in 1880 was 387, and the number dying in 1879 was 438. It does not, of course, follow that everyone described as belonging to a particular trade or calling was necessarily working for a living within a

reasonable time of his or her decease, or that everyone described as a son, daughter, wife, or widow, was non-productive, or merely occupied with domestic duties. Still, 423 may be regarded as a proximately correct estimate of those among the deceased who were self-supporting and family-supporting, as distinguished from those who were wholly dependent or only partially self-supporting. The number of those who must have been wholly dependent on others may be computed from the figures in the age table.

The sketch map of the Borough, which has been added, shows the boundaries of the wards, and the position of the houses in which deaths from zymotic diseases have occurred. The fatal cases of zymotic diseases received into the Fever Hospital, Borough Hospital and Children's Hospital have, in every instance, been referred to the localities from which they were drawn.

The ordinary sanitary operations of this department have received unremitting attention. House to house inspections of the cottage property in the Borough have been regularly made. Gullies and passage drains have been periodically cleansed, public fountains &c., have been scoured and kept in order, and the systematic removal of ashpit refuse at stated intervals has been carefully superintended.

As the department is not provided with a night-inspector, the regulation of common lodging-houses, and the repression of over-crowding in so-called "tenement houses" presents exceptional difficulties; and it is felt that the lodging accommodation provided for the poor is not under efficient control. A night-inspector would also be of great service in checking the practice of cellar-occupation. This offence cannot be proved without night-inspection, as only a cellar "in which any person passes the night" is occupied as a dwelling according to the Public Health Act.

The summary of nuisances investigated and dealt with during 1881, as usually returned to the Local Government Board on a form supplied, is as follows:—

Number of nuisances reported ...... 2,482 Number abated without formal notice......

71

Number of formal notices given	0.411	
Number abated after formal notice and with-		
out proceedings  Number of cases in which proceedings were	2,595	
taken	18	
Number abated after proceedings	15	
A brief summary of other measures taken,		
correcting or getting rid of whatever appeared to be health is subjoined.	prejudicial	to
Sanitary defects reported by Inspectors and referred for the action of the Town		
Surveyor	104	
Houses or parts of houses specially disin-		
fected with sulphurous acid or other disinfectants	110	
Notices to whitewash and efficiently cleanse		
dirty houses given and complied with	130	
Offensive privies ordered for conversion into		
water-closets	190	
Parcels of infected bedding and clothes dis- infected	122	
Parcels of infected bedding and clothes		
destroyed	26	
Carcases of dogs and cats removed from pools	4.10	
and waste land and buried	140	
The Superintendent of Markets and Abattoir, has furnished the following particulars of the meat, un food, seized and destroyed:—		
Beef		
	. "	

Veal.....

Pork ..... Potted meat.....

35,333 lbs.

789 2,320

16

The livers of seven bullocks were also seized, and destroyed, but their weight was not taken. A considerable proportion of the beef was seized on the premises in connection with the foreign animals wharf. Much of the pork seized was owing to more than one outbreak of swine typhoid in the district.

A memorandum on trichinæ in pork having been received from the Local Government Board, the memorandum was ordered to be printed as a poster, and copies to be posted from time to time.

Two special reports have been made to the Committee in the course of the year. The first was presented in March and had reference to the pollution of the Mersey shore by sewage. Samples were taken from various parts of the mud flats which are exposed at every low tide, and it was found that they contained from four per cent. to upwards of nine per cent. of organic matter. second was a report on a request of the Guardians of the Poor that the Health Committee, as representing the Local Sanitary Authority should receive pauper infectious patients in their Fever Hospital, and especially on certain specific proposals made by a deputation from the Guardians to the Health Committee on October 27th An extract from this report will be found at page 39. No action has been taken during the year with reference to the special report, dated December, 1879, on Godfrey's Terrace and the contiguous courts and houses. The property was again inspected and reported on in November, 1881. On a site measuring 94 yards by 57 yards are seventy separate dwellings or shops—32 are back-toback cottages and nine others have no windows in the rear. Buildings thus built and crowded together cannot possibly be properly ventilated. If the property could be brought under the operation of the Artisans' Dwellings Act it would be for the advantage of the whole neighbourhood.

Year after year we have had occasion to comment on the insanitary condition of Denbigh Street, Ruabon Street, Ruthin Street, Wrexham Street, and Wynnstay Street, five little paved courts between Jackson Street and the railway. The state of these streets was again brought under the attention of the Sanitary Authority in the summer of 1881, when typhus fever appeared in

an over-crowded dwelling in Wrexham Street, as already noticed. Later in the year the Corporation succeeded in acquiring the whole of the property, and by November all but six houses had been demolished. These six were vacated, but being back-to-back with houses in Gresford Terrace pulling them down might have perilled the safety of the whole block. The houses actually pulled down were as follows:—

A block of five large tenement houses	5
A block of 16 back-to-back houses	16
Three blocks of 14 back-to-back houses	42
	— 63

Two houses (199, Brook Street and 125, Chester Street) which were old and dilapidated and without proper sanitary accommodation, have been certified as unfit for human habitation, and an order for closing them obtained.

Early in the year Messrs. Salomonsky Brothers, fat renderers and butterine makers, were proceeded against for creating an effluvium nuisance, on complaint received from several residents in Tranmere. After the examination of a few witnesses the defendants admitted that they could not resist the evidence, and were fined £5 and costs. These works were shortly afterwards closed.

In July another visit of inspection was made to the works at Leeds for dealing with town refuse by cremation in a Fryer's "destructor," and on October 5th the Health Committee was authorized by the Council to procure and erect one of these destructors. A brief notice of the works as seen in operation at Leeds is given in the Report for 1879.

On December 6th an explosion took place at the gasworks. The explosion occurred a little after three in the morning, in a large purifying house, which was destroyed. The fire which followed was soon extinguished. Though the purifiers themselves were but slightly damaged, the immediate result of the explosion was that for some days afterwards complaints were constantly being received

from householders of nuisance from sewer-gas on their premises. On these complaints being investigated it was found that, almost in every case, the effluvium complained of was due to temporary imperfection in the gas purifying apparatus and was in no way connected with the house drains. The apparatus was of course soon put in order and then the complaints ceased.

The Fever Hospital continues to afford the Sanitary Authority the means of isolating and treating a few subjects of infectious disease. Neither in 1881 nor in the three preceding years was the usefulness of the institution put to a severe test as it was in 1877. The patients treated in the hospital in 1878-79-80 and '81 were respectively 46, 32, 47, and 37, whereas the number treated in 1877 was 194. If the small number received merely indicated that only a small number of cases of fever had occurred, it would be impossible to complain at the Hospital not being more largely used; but in 1881 it is an undoubted fact that there were many cases of fever treated outside which might with advantage have been transferred to Hospital, and it is to be regretted that the accommodation provided was not more frequently taken advantage Any practitioner sending in private patients can continue to attend them throughout, and if desired special nurses can be engaged. It is to be hoped that in future medical men may be induced to avail themselves of the facilities offered for keeping separate first cases of infectious disease, and that the patients may be sent in as soon as the disease is diagnosed. During the past year it has often happened that a case has only been sent to the Fever Hospital on the fifth or sixth day of the fever or later, and after other cases have already appeared in the same house.

Of the 37 patients received during the year, 5 were from shipboard. Particulars of the localities (wards, ships, &c.) from which the patients were derived, and the specific diseases of patients received from each locality, are given in the following table. The case in the column marked "no disease" was a child, a fortnight old, admitted with its mother, a typhus subject, and who died after the decease of the parent.

Localitics.		Measles.	Scarlatina.	Typhus Fever.	Enteric Fever.	No Disense.
Cleveland Ward  Grange ,,  Argyle ,,  Egerton ,,  Clifton ,,  Mersey ,,  Bebington ,,  Ship "City of Brussels"  Ship "Iberia"  Ship "Indefatigable"	• • • • • • • • • • • • • • • • • • • •	1	1 6 2 1  2	3 4 9  1	1	1
Total	 	1	16	18	1	1

Particulars as to results are given in the next table:-

Diseases.		Admitted		Recovere		Died		aining
Diseases.	M.	F.	M.	F.	M.	F.	M.	F.
Measles	10 7 1	1 6 11 1	6 5	1 5 7 	1 1 1	1 4	2 1	• •
Total	18	19	11	13	4	6	3	

Thus out of 36 cases of febrile disease treated in 1881, 9 died and 27 recovered—the mortality being 25 per cent. The mortality in 1880 was 6.6 per cent., and in 1879 but 3.3 per cent. However, in 1880 the Hospital received only two typhus patients and in 1879 only one typhus patient, whereas 18 of the patients in 1881 were admitted for typhus. One of the scarlatina cases was moribund on arriving, and died in seven hours.

The Disinfecting House, of which a description was given in the Report for 1880, has rendered good service during 1881, but the applications for disinfection are still comparatively few, and the inference is that the existence of the premises is not generally known. Perhaps the little use made of the apparatus is in part due to the inefficient arrangements hitherto for carrying clothes to and fro. The two light carts, recommended in the last Report, were not received till February, 1882.

A report on the sanitary condition and progress of the Borough during 1881 would be incomplete without some reference to the Public Baths in South Argyle Street, which, although not yet open, were actually built in 1881. The site chosen being almost on the boundary line between Birkenhead and Tranmere, is conveniently central. Beside the private baths and large swimming-bath for adults, a special swimming-bath for children has been provided. is trusted that the institution may be opened at an early date, and that it may efficiently supply a long-acknowledged want.

At the conclusion of the Annual Report it has been our practice to notice any measure affording increased facility for the maintenance of public health which the year under review has added to the Statute Book. The one general enactment of last Session which has any directly sanitary bearing is the Alkali Works Act, 1881, and this affects Birkenhead only in respect of the works of one small firm. Local legislation has, however, not been neglected, many local Acts, containing important sanitary provisions, having been passed. Among others was the Birkenhead Corporation Act, 1881, which received the royal assent on July 18th, 1881, and came into operation on January 1st, 1882.

#### FRANCIS VACHER.

Birkenhead, June 27th, 1882.

Extract from a Special Report on a request of the Guardians that the Health Committee would receive pauper infectious patients into the Corporation Fever Hospital, and on the specific proposals made by a deputation from the Guardians to the Health Committee on October 27th, 1881.

<sup>&</sup>quot;The Medical Officer having duly considered the matters referred to him, and in view of the necessity of providing for the isolation of the infectious sick, is of opinion that the request of the Guardians should be acceded to. The accommodation at present available at the Fever Hospital will not be equal to the requirements of the Borough should paupers be admitted, but as the Guardians offer to pay interest at the rate of 5 per cent. on the cost of extending the Hospital increased accommodation might be readily provided.

"The accommodation for infectious patients at present provided at the Fever Hospital has recently been reported on by an Inspector of the Local Government Board, and he computes it as sufficient for eight adult patients. The accommodation required for the infectious sick among the destitute or very poor is not less than three times that required for voluntary patients, so that the additional accommodation required (should it be decided to receive pauper patients into the Hospital) will be for 24 patients. each bed, according to the Government estimate, there should be 2,000 cubic feet air-space, the most convenient way of extending the Hospital would be by building out two wings in the rear, each wing to contain two wards, one above the other. Allowing a width of 20ft, for each ward, and a height of 12ft., there would still be space to admit of the wings being 38ft. apart the rule being that hospital wings should be separated by a distance equal to a height and a half. To afford accommodation for 24 patients, wards of the width and height given would require to be 50ft. in length. Each ward would require to have, in connection with it, a lavatory and closet and a nurse's bed room and kitchen, and should be lighted by not less than three windows on each side. There is room for this extension on the ground in rear of the Fever Hospital, without interfering with the disinfecting house recently erected, and there would still be yard-space behind about equal to the yards now in use. The cost of this extension, estimated at sixpence per cubic foot, would be about £1,400.

"The land adjoining the Hospital, at present in use as a stone-yard, should be cleared, and enclosed by a wall of the height of the wall enclosing the Hospital ground. This would add to the quiet and comfort of the inmates, provide an exercise ground, keep the public from too near an approach to the Hospital, and might (in time of an epidemic) be used for temporary wooden erections.

"The Medical Officer is not prepared to say that the extension of the Fever Hospital would be a better way of making the requisite provision for the infectious sick than erecting an entirely new building; but the first cost would be less, and there is reason for believing that the difficulty of finding an unobjectionable site for a new hospital might lead to the work being postponed.

"The Medical Officer is of opinion that the Guardians' offer to pay a fair maintenance charge for each patient sent into Hospital by them should be accepted, and the Medical Officer considers that the amount hitherto paid by the Guardians, in this respect, is a fair charge, and that their agreeing to pay 20s. per week per patient should be deemed satisfactory."

<sup>&</sup>quot;November 22nd, 1881."

#### APPENDIX.

- TABLE I.—Deaths registered in the Borough of Birkenhead during the year ending December 31st, 1881, elassified according to age.
- TABLE II.—Weekly register of Deaths in the Borough of Birkenhead for the year ending December 31st, 1881.
- TABLE III.—Weekly condensed Register of Deaths and Meteorological Results for 1881.
- TABLE IV.—Street Register of Deaths—1881.
  - A. Cleveland, Claughton, Grange, and Argyle Wards.
  - B. Oxton, Egerton, Clifton and Mersey Wards.
  - C. Bebington Ward.
- SUPPLEMENT TO TABLE IV.—Return of Deaths in Birkenhead Union Hospital Workhouse, registered in 1881.
- TABLE V.—Monthly totals of Deaths from all Canses and Zymotie Diseases, in 1881, with the rates per 1,000 per annum.
- TABLE VI.—"Description" of those who Died during 1881.
- SKETCH MAP of the Borough of Birkenhead showing the Boundaries of the Wards, and the position of houses in which Deaths from Zymotic Diseases took place in 1881.



Constant	77 93 4 18 4 18 4 18 4 18 4 18 2 2 2 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1	881. 8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Supplied	77	December   Property
Executed December 19	0 16 2 2 0 16 17 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1   1   1   1   1   1   1   1   1   1
Constant	0 16 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	10
Custode   Cust	6 10 10 10 15 11 1 2 10 19 14 1 2	
Description	6 10 10 10 15 11 1 2 10 19 14 1 2	
Discrete Notes   Discrete   Dis	1 2 10 19 4	### 1
Common of Common	10 19 4	0
Description of Control	2	10   10   10   10   10   10   10   10
A Monder		23. 653 100 101 10 103 10 103 103 103 103 103 103 103 103 103 103
Realized	8 12	1 1 2 2 7 7 4 1 1 1 1 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1
Tarish   Caper   Cap	1 2 2 2	4 1 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
Tarish   Caper   Cap	. 9 . 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 2 15. 16. 18. 19. 19. 19. 19. 19. 19. 19. 19. 19. 19
Legislate of Laters	9 	1
1	1 1	1
Thrash	9 9 11 11 11 11	1
Depty   1   1   1   1   1   1   1   1   1	1	1 8 10 10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Congr. 2.	1	C 1
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	**	62 E8 80 23
Oracea L	- i	8 6 16 23
Combined	- 6 - 1 - 2	6 4 50 4 6 8
D. Pericarbitis 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 1 2 1 1 2 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Their Direct Continues and Con	2 8	4 9
Largetin	1 7	65 G4 1 1 51 87 4
		8 1
Charge   Complete	1 1	2 5 3 8 1
1	: 1 : 1 : 3	8 1 6 4
Oaden 6.		
L. Nghritin		6 4 8 5 3 1 4 2 9 ,
2. Victure Disease 0.		3
Occus 2.  2. Joint and Brone Disease.  County 8.	1	
1. President 1. 2. 2. 3. 3. 4. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	1 2	
V   1. Proposities Dirich   14 7   24   16 7   25   26   27   27   28   28   28   28   28   28	1 3	3 16 1 1 3 1 6 5
6. Crish False 6. Crish False 7. Crish False 9. California 7. 7. 7. 7. 7. 7. 7. 7. 7. 7. 7. 7. 7.		. 14
1. Old Age	10 19	15 31 . 68 42 1
L. Atophy and Behilly	1	
1. Freduces and Contington—Creates:  1 1 1 8 8 0 1 1 1 1 5 5 1 1 1 2 2  Canable West of the Eve with a Pice.  2 Page 1 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3		14 8 12 8 1
	1	8 7
Ones 0. [Hemistee]		1
1. Pietot-late Wonds	::  :. 	2 ::
Violest Dealths (not classed)		15 4



## TABLE II.—Weekly Register of Deaths in the Borough of Birkenhead for the Year ending December 31st, 1881.

			_					CI	LE	V E	L	A N	D,	, (	L	Αl	J G	H.	TC	N	, c	a R	A N	G	E,	ΑI	N D	) A	RG	YL	- E	W	AR	D.S	3.						
CAUSES OF DEATH.					Wı	EEKS	3.		-	1	1									-	- 1									-	_	-				ζs.		_	1.		_ ~
	1	2 8	3 4	5	6	7 8	9 1	0 11	12 1	13 Ç	R. 1	4 15	16 1	7 18	19 2	20 21	22	23 2	4 25	26	QR.	27 28	329	30 3	1 32	33 8	4 35	36 3	7 38 8	9 Q1	R. 40	41 4	2 43	44 44	5 46	47 48	8 49 8	50 51	52	QR.	YEAI
	-  - -	- -	-	-	-	-	-		- -	_ -	- -			-	-'-	- -	-	r	_	-		_ -				- <u> </u> -	-		-	-	- -		-	- -				+	- -	- -	-
Measles Scarlatina Diphtheria							1.		1		6		1.	1 1	i	2	1	i.	1 1	2	0				ii	1.			. i	4					: ::			∷ i	i		16 15
Diphtheria	4	3	2 2	i		2 i		i 2	2	2	2	2 3		1.	i.		$\frac{1}{2}$	::	: i		2 10	1.	. 1	·i.	: i		1	••		. 8	3 1 3		i					i	8	2 4	7 39
yphus Fever					::	: ::		. 1			1		i.	1				i.	:::	1	$\frac{2}{2}$						: ::	::			$\begin{bmatrix} \cdot \cdot \\ 1 \end{bmatrix}$	1	$\begin{array}{c c} 2 & 1 \\ 1 & \dots \end{array}$		2	i.		1		8 5	11 7
arbuncle	.  ••		: ::							:					.				: ::	:::														::	. ::				.  :		1
Oysentery	$\cdot \  \cdot \cdot \  \cdot$			.1	2.		1	$2 \cdots$			5			1			L]		. 1		3																2			8	$\frac{1}{28}$
emittent Fever heumatism Iumps	.  ••	•••		!	-				1.	••				. 1	Ų ·	• • •	. 2	•• •			3				: ::	:: :		. 1											(	1	6
vnhilis		-	ᆈ.	ւլ ւ																											1			:: :			i.			1	10 2
nanition of Infancy urpura lcoholism—Delirium Tremens	-  ::	::	:	: ::																		:				.					::::	-		::::							
Intemperance														1	1	•• •			٠.,٠		1	••				-			1			.								•••	1
out	:  ::			:										1							i		•			i.					i				i					1	1 2
nemia ancer ancrum Oris			1	i				$^2$ .			5			i :		::	: ::	:: .	1	:	1	1.				:		:			1 1						. 1		1		10
ancrum Oris		•••																																						1 2 1	4 5 10
Abes Mesenterica	. 1	:: .	•	11.0	3	•	1	8 9	2 2 1	2	17	. 7	3	1 :	2 4	$\frac{2}{1}$ .		3	1 1	1 2	26 15	4	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	3 2	2	$\frac{2}{1}$ .	1 2	1	1 1 1 1	3 2	2 6 1 0	2	3	2	i	2	2	1 2	1 1	17	86 36
Hydrocephalus Sephalitis	.   1	··· 1							i		i .		1	•••		•••		•••	••		2		1		i		1		2 1	11	g	1.		• •	扑네		: 11	• • • • •	9		6 27
poplexy aralysis Epilepsy																													- 1		5 7 4	11	O	1	1 1			1 1		2	18   5 73
Spriepsy Convulsions Brain Disease (undistinguished)																·· .	i			. 1	1 2		. 1		. i				1		2 1							1		1	8
Spinal Disease										٠٠ .	• • •			٠.,	$\cdot   \cdot \cdot  $	٠.			• •   • •	-	• • • •		• • • • • • • • • • • • • • • • • • • •						i		i   · ·						1			1	1
neurism		::	:: :								• • • •			• • •		• • •	• • • •		• • • • •		••••									1	i										2
ngina Pectoris leart Disease (undistinguished) .			4	2	i i		3		2	1	14 1 53	2 1		1		1	1	1.1	1.		6		1	0 .			4	, L,			7 2	1 .		4	1 2	1 :	1 2	1	1 1 6		45 4 18
eryngitis	2	9	4	7 4	4 4	B	4 6	1	6 4	$\frac{2}{\cdots}$	53	3 1		4.	. 1	$\frac{1}{\cdots}$	1 1		3 2	2 1 • 1	1										0 i									25 1	1
Compyema									• • •	1		0 0	il	•••	i	i	8 9	1		3 i	19	i.	1 2		· · · ·	3		$\begin{vmatrix} 2 \\ \cdot \end{vmatrix}$ .	1 1	1 1	$ \hat{1}  \vdots \\ 1  1 $	3.	. 3	2	3 1	3 :	$1 \mid 1 \mid$	5	5 2	24 2	63
Pneumonia Isthma Congestion of Lungs		::					i		: ::		1 1								$\frac{2}{1}$	i	2	II.Ī.				1													1	1	4
Congestion of Lungs Pharyngitis Stricture of Œsophagus		,			 i . i			i.												i	3	11.1	1		-	1 1			1 1	- (	· · · · · · · · · · · · · · · · · · ·	7								-	9
Jastritis		:: i							i		1			::	: ::	:::	. 1			i	1		_				•• •			•• ••.	i   · ·				. 1			••		1	3
Enteritis Peritonitis Ulceration of Intestines Hernia Obstruction of Intestines									:::					1.	: ::	:::					i																1			1	2 2
																					• • • • •								: ::				 	•••	: ::	 			::::		1
																																									3
Stomach Disease (undistinguished Hepatitis	d)		::	: :						1	1		i		:::				::	$\begin{vmatrix} 1 \\ \cdot \end{vmatrix}$	1							 			i		•		1					ĩ	3 5
Jaundice							i	1	$1 \dots 1 \dots$		3 2		1	:::	. 1						8 2										i				. 1			1 1		3	6
Hæmatemesis Stomach Disease (undistinguished Hepatitis Jaundice Cirrhosis Liver Disease Nephritis Bright's Disease (Nephria) Diabetes Cystitis Prostatic Disease		1		::	: ::				. 1		3	:: :			1			1			$\frac{1}{2}$	1		1		1	1.				4								( ) 	1	7 2 5
Diabetes Cystitis Prostatic Disease				:: :	:::	i			1		1		V		. 1				::			1			:: ::	1.	i.				$\begin{vmatrix} 2 \\ 1 \end{vmatrix} : :$									-i-	1
Prostatic Disease										::		::	1.	::															i		1									::\	2 2
Uterus Disease								1						i				1			1 2						::	:: :		 							i			1	6
Diabetes Cystitis Prostatic Disease Uremia. Kidney Disease (undistinguished) Uterus Disease Joint and Bone Disease Pyæmia. Phlegmon Ulcer Skin Disease Premature Birth Cyanosis Spina Bifda Cleft Palate							1																							::											· i
Ulcer	::: :					$\frac{1}{2}$				2	7	:: :	: i		i	i		2 1	:: :		6						11			2	3				1			1 :	2 1	5	21
Premature Birth			i								··i						::													i	1								1 1	2	3 1 7
Spina BifidaCleft Palate					::	i					1 9	i.		1					1		3						::::			i	i	i ::		i.	1 2		1 1			4 5	7
Premature Birth Cyanosis Spina Bifida Cleft Palate Teething Childbirth Old Age Atrophy and Debility Accident or Negligence—			1	2		i	2	4 1	2	i i	4 21	i	1	3	2 2	1 1	2	i	$\frac{2}{1}$ .	1 2	6 21		i.	i	i	. 3	1 4	i	i i	1 1	5	2	4	1	3 1		1 2	3	2	21	78
Atrophy and Debility Accident or Negligence—		1	4			1				3	5	1.		1			1 .			. 1	4 9		· i ·	2		. 1			1	1	3 .	:	i	1 .	. 1		i		i	3 3	15 14 1
Crushes					1	$\frac{2}{\cdot}$				: $:$ $:$ $:$ $:$								: ::				.					••				3 4		••		1			1		1	1
Falls. Gunshot Wound Perforation of the Eye with Piece of Slate Pencil Barns and Scalds Poison Drowning Sufficient of (found dead	h a									i i	4		 . i						::		···i	·i	::	:::							$\frac{1}{2}$ .					i.				1	7
Burns and Scalds		::			2						(···				1	l		i			1	2		: ::		i					1 .							1	1	1	3
Drowning Suffocation (found dead bed)	in							1	1	2	4	:			1					1	1																				1
Homicide - Manshaughter				1	1 1	- 1																																			
Pistol-shot Wound				.							8	i			i.			1			3			i			i.			1	5	i							i	2	3 17
Violent Deaths (not classed) es not specified, or ill-defined	••••	1	1.	:  i	3	1.				1	8		1.	1.				. 1																						130	534
		9	71	7 10	13	- 15 13	3 9	11,11	15	18 9	15	5 15	12 1	6 12	91	1 7	9 1	10	9	10 8	3 14	10 14	11 1	0 10	8	4 8	-8	4 5	8 8	7	08 1	9 10	6 10	10 1	11 6	10 1	0 6	411	12 13	115	451
Males		6	9	7 11	15	10	7 9	11 9	10	9 71	12	10	19	611	51	1 6	31	10 4	6	8 15	2 11	14 10	$\begin{vmatrix} 6 \end{vmatrix}^1$	2 9	8	110	1	1	9 4	9	36 1	1 3	0 1	! 1		11		1.	13		150
Females					1			1	1 14		_		-	-	-	-	_																								



TABLE II.—Weekly Register of Deaths in the Borough of Birkenhead for the Year ending December 31st, 1881

	OXTON, EGERTON, CLIFTON, AND MERSEY WARDS.  WEEKS. WEEKS. WEEKS. WEEKS.																													
CAUSES OF DEATH.	_		w	EEKS.			ī	1	101				)N, (	CLI	FTC	DN,	AN			SEY	WA	RD	S.							L BH
	1 2	3 4	5 6	7 8	9 10 11	19 18	1sr		18 1				ola day		ND_	<u>.</u>	TT	1				BRD_			WEE				4TH A	OTAI
															QR. 27	28 29	9 80 3	1 32 33	34 85	36 37	38 39 0	QR. 4	0 41 42	43 44	45 46	<b>47 4</b> 8	49 50	51 52	QR.	FOR
Measles Scarlatina Diphtheria Croup Whooping Cough Typhus Fever. Enterio or Typhoid Fever. Erysipelas Carbuncle Dysentery Diarrheea Remittent Fever Rheumatism Mumps Syphilis. Inanition of Infancy Purpura Alcoholism—Delirium Tremens Intemperance Thrush Gout	2	8 1	2	1 1	2	1	13	$\begin{vmatrix} \cdot \cdot \end{vmatrix} \frac{1}{1}$	1	2 1	1	.	.  .		6		.  .									1		-   -	1 0	49
Diphtheria Croup	. 1		.;	:::::::	::::::		····			1		j			2						• • • • •									20 5
Typhus Fever	i					-; -:					:: i				1 1	1			. 1			2		::		:: ::				1 9 3 45 1 12 3 11
Erysipelas	::::													:: . <b>.</b>	1	:: ::			:: ::						i	i			2	11 5
Dysentery Diarrhea					: :: ::			:::::							1	i	1	1	i			6 1	i			1			1 1	1 2
Rheumatism		i					1		1	:: ::	:: ::	i ::			2	:	••		i	:::::		i ::							2 8	. 1
Syphilis Inanition of Jufancy			,			:: ::		1	1						2			1				·· ··				:::::			1	1. 14
Alcoholism—Delirium Tremens Intemperance												:: ::		:										1					3 4	. 1
Thrush Gout Dropsy Anæmia		:: ::									i					.: ::	:: :: <sub>i</sub>					···· ¡···								1
Dropsy		i	i		· · · · · · · · · · · · · · · · · · ·	:: ::		1		:: ::	:: ::				i	1						i							2	3 4 9
Dropsy Anæmia Cancer Cancrum Oris Mortification																	:: ::			1		2 1	:::::						1 11	. 23
Scrofula Tahes Mesenterica	i	1								1	i				1				)	. 1		i							: 2 1 9	7
Cancrum Oris Mortification Scrofula Tahes Mesenterica Phthisis Hydrocephalus Cephalitis Apoplexy Paralysis Epilepsy					i i i	1	3	1	1	1	i	$\begin{array}{c c} 2 & 1 \\ 1 & 1 \end{array}$	i	: 3	5	1 1	1  1		3	1 1.	2 1	$\begin{bmatrix} 0 & 1 \\ 4 & \dots \end{bmatrix}$	2	. i	1		. 1.		$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	120 58
Apoplexy Paralysis Epilepsy		:: ::				1 1 		1		$\begin{array}{ccc} 1 & \dots \\ 2 & 1 \end{array}$					3	i	i		i			2				i 1	2 1.	i	3 11 4 8	9 39 32
Convulsions				. 1 .	1 4	1	7					1		. 1	1				,	1 1.	. 1	4			i		i i .		3 15	90
Bran Disease (undistinguished) Spinal Disease Pericarditis Aneurism Exception						1	1;																	: :: .	1	i			$\begin{array}{ccc} z & 3 \\ 1 & 2 \\ & & \end{array}$	13 6
Aneurism Embolism Angina Pectoris											i			: 'i	i								$\overset{1}{\cdots}$ .		;:::				$\begin{array}{ccc} 1 & 2 \\ \dots & 1 \end{array}$	3 .
Angina Pectoris Heart Disease (undistinguished) Laryngitis	1	2	1 1.		1		6	1	1	1				1 8	3			1.	1		]	i			1	i			3 13	66
Bronchitis Pleurisy Empyema																													1 21	. 1
Pneumonia Asthma Congestion of Lungs	1	1 · · · · · · · · · · · · · · · · · · ·		1 3	i	1	8				i			i 2				1 1		1	1 4			i i.	i i .		3		1 18	90
Congestion of Liungs Pharyngitis Stricture of Œsophagus										:::::		1			. 1.						3				:::::	::::::			5	. 9
Gastritis Enteritis	1						1									4 4 7				4 7 7 4 4		4 1 2 2 2				·	i		2   3	13 7
Peritonitis Ulceration of Intestines Hernia																		. 1 1						Jan.		1:::				5 1
Obstruction of Intestines			1				. 2					• • • • •					1::::								1:				$\begin{array}{ccc} \cdot & \frac{1}{2} \\ \cdot & 1 \end{array}$	4 4 3
Intussusception			$\frac{1}{\cdot \cdot $				1					·; ··	· · · · · · ·									:					: :::::		. 1	1 4
Hepatitis		1					1	1			113	1	1 ;	L 4	• •	:: :													5	12 3
Cirrhosis		1			••1••		1						• • • • • •		111					1.1	1			i			1		2	10
Nephritis Bright's Disease (Nephria) Diahetes						· ·   · ;	2	. .			•	••••								1	2						1	8	5 5	10 12 4
Cystitis			1				1		1.14			• • • • •							11117			1	1 )			1			. 1	6 2
Kidney Disease (undistinguished)				7																								1 1	7 1	2 2
Joint and Bone Disease						1					1																			6 6 2
Phlegmon Ulcer Skin Disease Premature Birth Cyanosis Spine Bis 2					. i		1																						i	2
Premature Birth Cyanosis Spina Bifida		1	1		1 1	1		2			.,		1			1	1	2			5			1		1.		1 1	17	41 1 4
Cleft Palate							).												i	:: ::		•							4	1 11
Teething Childhirth Old Age Atrophy and Debility	1	i	1	· · · · · ·		1	1	i i		i			1.1	1 4 4		i	i	i	: i		$\begin{array}{c} 1\\2\\4\end{array}$		i		1.3			1 5	13	14 49 100
Atrophy and Debility  Accident or Negligence—  Crushes  Falls.																									1				2	19
																100							1	1 1						14
Perforation of the Eye with a Piece of Slate Pencil Burns and Scalds Poison	'i'	::								i				····															2	1 9
Drowning							4								1							1.11	1		1			1		3 5
Suffocation (found dead in bed)		1	1	1			1.0	1 2					. 1					. 1		.,	. 1							1 1		13 1
Suicide-	ki.				1		U I			7.1								1 4			- 1		ì	1 1	-1			1	2 2	2
Pistol-shot Wound										i.				1			i			···i	2	i.						1 2	5	3 22
Males	3 5	7	1 6 2	2 5	6 4 8	5	61	4 2 2	2 2	8 6	3 4	5 6	4 3	49	3 2	2 4	3 3 5	2 4 6	5 2	5 1	4 44	4	1 2	4 2	8 7	3 1	2	2 36	190	800
Females	3 3	5	5 7 5	2 5	8 1 2	1	53	5 5 6	3 2	4 2	3 2	3	1 2 2	37	1 (	5 1	3 2 4	3 3	3 4	5 1	2 37	1 :	8 1 1	2 1	4 3	3 5	6 4	6 40	167	662



# TABLE II.—Weekly Register of Deaths in the Borough of Birkenhead for the Year ending December 31st, 1881.

Diphtheria Croup	2 3 4 5	WEEKS.	IST 2ND WEEKS. SRD WEEKS.														
Measles Socriatina Diphtheria Croup	2 3 4 5	6 7 8 9 1			1 1 1 1		1 1	2n	D			SRD	7	VEERS.		4   64	TAL
Scarlatina Diphtheria Croup		··   -	10 11 12 13	QR. 14 15	16 17 18	19 20 21 2	22 23 24 2	25 26 Q1	27 28 29	9 80 81 82 88 8	4 85 86 87 88	39 QR.	40 41 42 43 44 4	5 46 47 48 49	50 51 52	QR.	TO FOR BOR(
Typhus Fever. Enteric or Typhoid Fever. Erysipelas Carbuncle Dysentery Disrrhoea Remittent Fever Rheumatism Mumps Syphilis Inantion of Infancy Purpura Alcoholism—Delirium Tremens Intemperance Thrush Gout Dropsy Annemia Cancer Cancrum Oris Mortification				1											i	1 1	49 20 5 12 11 5 12 2 37 14 6 1 14 6 1 1 1 1 1 1 1 1 1 1 1 1 1 3 4 3 3
Scrofula Tabes Mesenterica Phthisis Hydrocephalus Cephalitis Apoplexy Paralysis Epilepsy Convulsions Brain Disease (undistinguished) Spinal Disease Pericarditis Aneurism Embolism Angina Pectoris Heart Disease (undistinguished) Laryngitis Bronchitis Pleurisy Empyema Pneumonia Asthma Congestion of Lungs Pharyngitis Stricture of Œsophagus Gastritis Enteritis Peritonitis Ulceration of Intestines Hernia Obstruction of Intestines Hernia Obstruction of Intestines Hernia Husussception Hæmatemesis Stomach Disease (undistinguished) Hepatitis Jaundice Cirrhosis Liver Disease Nephritis				2			1	1 2 2								1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	7 17 120 53 9 39 39 2 9 9 9 9 9 9 1 9 9 1 9 9 1 9 9 1 9 9 1 9 9 1 9 9 1 9 9 1 9 9 1 9 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1
Diabetes Cystitis Prostatic Disease Uræmia. Kidney Disease (undistinguished). Uterus Disease Joint and Bone Disease Pyemia. Phlegmon Ulcer Skin Disease Premature Birth Cyanosis Spina Bifida Cleft Palate Teething Childhirth Old Age Atrophy and Debility Accident or Negligence— Crushes Falls. Gunshot Wound Perforation of the Eye with a Piece of Slate Pencil. Burns and Scalds Poison. Drowning Suffocation (found dead in hed) Homicide—Manslaughter Suicide— Pistol-shot Wound					. 1			1								2	6 6 1 2 2 1 2 2 2 2 2 2 4 4 1 1 1 4 4 4 9 1 1 1 1 4 4 1 1 1 1 1
	$\begin{bmatrix} 1 & 2 & 1 \\ 1 & 1 & 1 \end{bmatrix}$			6 1	$\frac{1}{1}$ . $\frac{1}{1}$ .	2	1 1	7		1 1 1		8		1	1	1 17	





TABLE II.—Weekly Register of Deaths in the Borough of Birkenhead for the Year ending December 31st, 1881.

	UNION HOSPITAL.											
CAUSES OF DEATH.	WEEKS.		EEKS.	WEEKS.	Weeks	AL THE UGH.						
	1 2 3 4 5 6 7 8 9 10 11	12 13 QR. 14 15 16 17 18 19	20 21 22 23 24 25 26 QR, 27 28	29 30 31 32 33 34 35 36 37 38	39 OR. 40 41 49 48 44 45 46 49	THE HEAD OF THE CARD						
-					00 41. 10 11 12 10 14 45 46 41	48 49 50 61 62 QR. A A						
- Measles Scarlatina Diphtheria	.   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •	1 . 11	1			12 49 20						
Whosping Cough						5 9						
Typhus Fever Enteric or Typhoid Fever Erysipelas		::::::::::::::::::::::::::::::::::::::			1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1						
Carbuncle												
Diarrhœa. Remittent Fever Rheumatism						37 1						
Mumps		::::::::::::::::::::::::::::::::::::::	1			9 1 1 2 14						
Inanition of Infancy Purpura Alcoholism—Delirium Tremens		: : : : : : : : : : : : : : : : : : :	1			6						
Intemperance												
Gout Dropsy Anæmia	i i i	2				2 3						
Cancer		1 1										
Mortification		: i i i i i i i i	1			1 3 7						
Tabes Meseuterica Phthisis Hydrocephalus						1 17 1 1 <sub>20</sub> 58						
- Cephalitis		1	22			$\begin{array}{c ccccccccccccccccccccccccccccccccccc$						
Paralysis Epilepsy Convulsions	1. 1	::::: i i ::::::::::::::::::::::::::::				2 9 90						
Brain Disease (undistinguished)						13						
Pericarditis Aneurism Embolism		ii										
Angina Pectoris		i i 1		[ • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •								
Laryngitis Bronchitis Pleurisy		4				1 3 8 146						
Empyema	3 1					2 7 91						
Asthma Congestion of Lungs Pharyngitis						9						
Stricture of Œsophagus Gastritis Enteritis	] 1	1				$\begin{array}{cccccccccccccccccccccccccccccccccccc$						
Peritonitis						5						
Hernia		1 . 1				1 4 3						
Ileus Intussusception Hæmatemesis					i	i 1 4						
Stomach Disease (undistinguished Hepatitis						$\begin{array}{cccccccccccccccccccccccccccccccccccc$						
Cirrhosis		1				$\begin{array}{cccccccccccccccccccccccccccccccccccc$						
Nephritis Bright's Disease (Nephria) Diabetes						12						
Cystitis												
Uræmia. Kidney Disease (undistingnished) Uterus Disease												
Joint and Bone Disease		1										
Phlegmon Ulcer Skin Disease		1				$\begin{array}{cccccccccccccccccccccccccccccccccccc$						
Premature Birth						1 4						
Spina Bifida Cleft Palate Teething					3 2 1	11						
Childbirth Old Age Atrophy and Dehility		29			3	1 1 4 100						
Accident or Negligence—												
Gunshot Wound	а.											
Piece of Slate Pencil Burns and Scalds						9 3 5						
Poison Drowning Suffocation (found dead	in				1	1 13						
bed) Homicide—Manslaughter						2						
Suicide – Pistol-shot Wound						2 3 22						
Violent Deaths (not classed)												
Males				$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	9 2 2 3 2 1 3 3	23 15 59 800 2311 37 662						
Females	1 1 4 1 1 2 2 2	1 1 1 17 1 1 1			3							

	Weekly Condensed Register of Deaths and Meteorological Results for 1881.  CAUSES OF DEATH.  WEEKS.  SED WEEKS.  WEEKS.														
		WEE	IST I		2 <sub>Nn</sub> W	EEKS.	WEEKS.	4тн <b>;</b> Qв. ДУ							
Borough of Birkenhead,	All Causes Specified Causes I. Zymotic Diseases II.—Constitutional Diseases III.—Local Diseases IV.—Developmental Diseases V.—Violent Deaths	23 27 40 33 47 85 28 22 26 40 32 44 34 28 5 7 10 5 5 4 3 3 1 5 4 6 4 . 9 12 18 19 25 18 18 4 5 6 4 5 4 6 1 1 1 1 . 3 4 1	31 43 30 88 38 31 444 83 1 43 30 38 38 30 43 3 3 3 9 8 5 6 5 75 4 3 7 5 3 20 22 11 24 15 12 223 1 4 8 2 3 7 4 62 1 2 1 6 2 23	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	1 20 25 365 28 26 27 25 22 15 20 25 362 28 26 26 22 22 15 4 5 3 4 77 6 7 7 5 5 5 1 7 14 4 1 19 3 1 2 1 1 1	31 27 22 18 24 16 2 31 26 22 18 24 15 2 4 3 2 2 1 1 6 7 6 3 4 3 14 10 71116 8 7 4 6 7 2 2 2 2 3 3 1 1 2	2 303 25 23 21 17 30 29 31 29 28 25 21 35 36 31 29 28 25 21 35 36 31 29 28 25 21 35 34 4 2 5 5 2 1 4 2 5 5 5 3 1 5 5 5 3 6 6 6 4 4 4 3 1 5 2 2 2 2 4 3 2 5 3 3 4 5 4 5 5 2 5 2 1 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	350 1462 346 1440 49 231 40 236 174 679 67 221 16 73							
Cleveland, Claughton, Grange, and Argyle Wards,	All Causes Specified Causes I.— Zymotic Diseases II.— Constitutional Diseases III.— Local Diseases IV.—Developmental Diseases V.—Violent Deaths	$\begin{array}{c} .  15 \ 16 \ 24 \ 21 \ 28 \ 25 \ 20 \\ 14 \ 15 \ 24 \ 20 \ 25 \ 24 \ 20 \\ 2 \ 1 \ . \ 3 \ 3 \ 4 \ 3 \\ 1 \ . \ 3 \ 3 \ 4 \ 3 \\ . \ 5 \ 8 \ 12 \ 12 \ 15 \ 12 \ 13 \\ 3 \ 3 \ 5 \ 2 \ 1 \ 2 \ 5 \\ 1 \ . \ . \ . \ . \ 3 \ 3 \ . \end{array}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c} 25 \ 31 \ 22 \ 26 \ 14 \ 22 \ 13 \ 12 \ 22 \ 14 \ 15 \\ 25 \ 30 \ 22 \ 26 \ 14 \ 22 \ 13 \ 12 \ 22 \ 13 \ 15 \\ 6 \ 3 \ 2 \ 4 \ 4 \ 2 \ 2 \ 3 \ 7 \ 2 \ . \\ 111 \ 8 \ 5 \ 3 \ 6 \ 3 \ . \ . \ . \ 4 \ 3 \\ 412 \ 8 \ 12 \ 1 \ 9 \ 5 \ 610 \ 6 \ 8 \\ 2 \ 4 \ 3 \ 4 \ 3 \ 2 \ 3 \ 1 \ 4 \\ 2 \ . \ 1 \ 1 \ 3 \ 1 \ . \ 1 \ 2 \ . \ . \end{array}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	21 15 11 19 14 10 10	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	245 985 243 968 35 150 29 156 29 476 40 133 10 53							
Oxton, Egerton, Clifton, and Mersey Wards.	All Causes Specified Causes I.—Zymotic Diseases II.—Constitutional Diseases III.—Local Diseases IV.—Developmental Diseases V.—Violent Deaths	-1		9 7 8 4 12 8 6 6 8 6 5 9 7 8 4 12 7 6 6 8 6 5 3 2 3 1 1 1 2 2 1 3 2 3 3 2 3 1 1 1 2 1 3 3 2 3 1 3 1	$\begin{array}{cccccccccccccccccccccccccccccccccccc$		81 5 4 3 1 6 3 12 10 6 6 8 4 8 7 7 10 1 1 1 1 1 2 2 1 1 1 1 2 2 2 1	76							
Bebington Ward,	All Causes Specified Causes I.—Zymotic Diseases II.—Constitutional Diseases III.—Local Diseases IV.—Developmental Diseases V.—Violent Deaths			$\begin{array}{cccccccccccccccccccccccccccccccccccc$	10	1 1	3	3 24 3 24 2 3 1 7 10 3							
Union Hospital.	All Causes Specified Causes I.—Zymotic Diseases II.—Constitutional Diseases. III.—Local Diseases IV.—Developmental Diseases. V.—Violent Deaths		3     7     5     3     5     2     43     3       3     7     5     8     5     2     43     3       .     5     4     1     1     11     11     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1	$\begin{array}{cccccccccccccccccccccccccccccccccccc$		2 2 3 2	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	26 96 26 96 2 18 2 18 43 8 25 1 2							
Meteorological Results.	Percentage of time Wind bler from S., S.W., W., and N.W.	83.1 87.5 80.2 8.3 61.8 70.2	86.9 88.9 88.3 88.3 88.3 25.0 43.8	32.7 41.6 89.8 89.8 67.8 92.2 84.5 76.1 50.0 44.6	76.7 94.0 59.5 92.2 92.8 94.6 94.6 91.6 97.0	55.9 33.3 51.7 66.6 44.6 50.0	72:8 93:4 5.3 93:4 5.3 6.3 60:1 60:1 60:1 60:1 60:1 60:1 60:1 60:1	1.99							
	Mean Hourly Horizontal Motion of the Air in Miles			15.1 16.9 16.9 16.9 11.7 11.7 11.8 11.8	15-8 16-3 17-0 17-0 18-1 18-1 19-1 17-8 17-1	17.5 13.3 8.8 8.9 15.1 11.5	14.9 10.7 84.7 84.7 16.7 16.7 11.9 23.1 25.4 14.6 17.4 * *	16.8							
	Average Percentage of Cloud t Clear Sky	711.4 58.5 52.9 68.5 77.7 64.3 91.4	77.1 85.7 84.2 65.7 77.1 31.4 69.5 69.5	65.7 65.7 65.7 65.7 64.2 87.1 85.7 72.8	55.7 68.5 57.8 77.1 777.1 777.1 91.4 80.0	72.8 78.5 70.0 78.5 48.5	72.4 58.5 77.1 77.1 77.1 66.0 60.0 60.0 66.0 64.2 66.0 66.0 64.2 66.0 66.0 66.0 66.0	66·1 repair.							
	Rainfall in Inches		.228 1.284 .553 .369 .703 .000 .7239	1.122 .051 .870 .802 .802 .646 .1.150 .630 .492 .298	6.592 6.592 6.592 774 744 721 1-130 658	1.420 1.050 .018 .158 .852 .585	8.551 -810 -1.048 -029 -500 -160 -169 -174 -174 -174 -174 -174 -174 -174 -174	0.648 under							
	Rainfall as to Hours	0.0 2.0 9.3 10.2 34.1	7.9 21.2 15.9 17.0 18.2 0.0 161.0	21.2 1.4 1.6 12.6 12.8 11.5 11.5 11.5	8.6 156.8 8.9 0.8 11.9 4.2 20.4 12.3	23.8 13.4 0.7 4.7 13.8 9.0	8.4 21.9 1.5 1.0 2.8 2.8 2.8 2.8 4.4 4.4 4.4 24.6 24.6 24.6 24.6 24.6 3.8 3.8	*Instrument							
	Thermometer Means	26.8 28.5 28.5 41.6 87.8 39.8	85.4 48.3 46.2 37.9 87.2 86.6	50.5 44.0 44.0 50.6 50.6 57.9 57.9 59.5 59.5			50.1 4 49.1 45.2 48.0 55.2 46.9 46.1 46.1 46.1 46.1 46.1 46.1 46.1 46.1	47.7 *Inst							
	Mean of Evaporation	02 04 04 04 05 03		47.2 46.1 46.1 45.7 45.7 45.9 45.9 45.9 45.9 45.9 45.9			46.5 46.5 46.5 46.5 46.5 46.5 46.5 46.5	44.7							
	Barometer Means, reduced to So Level, and to 32° Fahrenheit	29.876 29.847 29.847 29.597 29.483 29.488 29.488	30-209 29-801 29-661 30-198 29-962 29-962 29-846 30-070	29.869 29.984 29.984 29.996 30.449 29.661 30.052 30.187 29.887 29.887 29.887 29.887	29-992 29-992 29-978 30-119 29-929 29-929 29-937 29-937 29-780 29-780	29-610 29-802 30-085 29-752 30-215	29-028 29-028 29-035 29-035 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 29-058 20-058 20-058 20-058 20-058 20-058 20-058 20-058 20-058 20-058 20-058 20-058 20-058 20-058 20-058 20-058 20-058 20-058 20	29.908							



#### TABLE IV.

#### STREET REGISTER OF DEATHS.

A.—CLEVELAND, CLAUGHTON, GRANGE, AND ARGYLE WARDS.

STREETS.	Total from all Causes.	From Zymotic Diseases only	STREETS.	Total from all Causes.	From Zymotio Discasses only.
Abbey Street	1	0	Ivy Bank	2	0
Abbot Street	$\frac{1}{4}$	1	Camden Street	3	$\frac{0}{2}$
Adelphi Street	$\frac{1}{2}$	ō	Camperdown Street	2	1
Albion Street	$\frac{1}{5}$	o l	Canning Street	3	ō
Albert Terrace	5	ŏ	Cannon Hill	1	ŏ
Castle Buildings	3	0	Cardigan Street	ī	0
Hamilton Terrace	1	1	Carlyle Street	4	1
Wilbraham Terrace	2	0	Catheart Street	13	6
Alexandra Road	3	0	Cavendish Street	1	1
Alfred Road	2	1	Chapel Street	2	1
Argyle Street	3	0	Chester Street	12	0
Arthur Street	1	0	Carpenter's Row	1	0
Ashville Road	1	0	Chester Place	1	0
At Sea	$\begin{array}{c c} 1 \\ 1 \end{array}$	$\begin{bmatrix} 0 \\ 0 \end{bmatrix}$	Eaton Placo	1	0
Austin Street	3	0	Mersey Place	1	1
Back Beckwith Street		0	Windsor Placo Christchurch Road	1 1	0
No. 2 Terrace	2	2	Church Street	5	2
Back Camden Street	Õ	0	Clarendon Street	3	1
Campbell Terrace	ĭ	1	Claughton Firs	1	ō
Back Oliver Street	1	1	Claughton Road	8	ő
Back Price Street	3	2	Clayton Street	2	ő
Back St. Anne Street	5	2	Clevoland Street	12	3
Back Willaston Place	1	1	Cleveland Avenue	3	1
Barton Street	3	0	Russell Place	1	0
Beaufort Road	2	0	Clifton Crescent	5	0
Beckwith Street	27	5	Coburg Street	2	0
Byrom Place	1	1	Collingwood Street	3	1
Church Terrace	1	0	Conway Street	5	0
Bedford Street Bentinck Street	1	1	Cook Street	5	1
Berry Street	4	$\begin{bmatrix} 0 \\ 1 \end{bmatrix}$	Corporation Road	1	0
Bertha Street	2	0	Cottage Street	5	0
Blackpool Street	4	0	Cromwell Street	0	0
Cambridgo Place	3	$\frac{0}{2}$	Taylor's Buildings	3	$\begin{bmatrix} 0 \\ 1 \end{bmatrix}$
Ruabon Street		1	Cross Street		$\frac{1}{2}$
Ruthin Street	1	0	Dacre Street	7	2
Wrexham Street	1	ì	Davies Street	3	ő
Borough Hospital	34	$\frac{1}{2}$	Devonshire Place	3	Ö
Borough Road	12	3	Devonshire Road	3	Ŏ
Boundary Road	2	0	Dock Cottages	22	1
Brasscy Street	3	0	Dover Street		0
Bridgo Street	8	1	Duke Street	2	0
Bridge End Terrace		0	Duncan Street	1	0
Bright Street	3	0	Eaton Road	1	0
Brook Placo	3	0	Edgar Street	2	1
Brook Square	36	$\begin{vmatrix} 2 \\ 1 \end{vmatrix}$	Egerton Dock	3	0
DIOOK Square	1	1	Egerton Street	9	0

## TABLE IV.—Continued.

STREETS.	Total from all Causes.	From Zymotic Diseases only	Streets.	Total from all Causes.	From Zymotic Discases only.
Connor's Court Evan's Place Eldon Place Eldon Street Elgin Street Elizabeth Place Elizabeth Street Back Elizabeth Street Elm Street Enfield Terrace Euston Grove Exmouth Street Fever Hospital Field Street Flamank Street Flamank Street Fore Street Fore Street Garnet Street Garnet Street Garnet Street Grafton Street Gore Street Grafton Street Grange Lane Grange Road Grange Street Graving Dock Great Float Greenfield Street Grosvenor Place Grosvenor Place Grosvenor Road Halkin Street Hamilton Lane Hamilton Lane Hamilton Square Hamilton Street Hampton Street Henny Street	1 1 3 2 6 1 6	O O O O O O O O O O O O O O O O O O O	Abbey Terrace Laird Street Leicester Street Leicester Terrace Leinster Street Lingdale Road Livingstone Street Lord Street Lorne Street Lowther Street Lowther Street Manor Hill Marion Street Market Street Market Place Marshall Street Meacock Street Menai Street Menai Street Mona Street Mona Street Mona Street Monnington Street Mornington Street Mornington Street Mornington Street Neptune Street Neptune Street Neptune Street Old Bidston Road Cumberland Place Oliver Street Chapel Place Oxton Road Belmont Palm Grove Palm Hill Park Road South Park Road South Park Street Mason's Court	POL 112111247431112462225334731111372	Harmonia
Hope Street Howard Street	8 1	$egin{bmatrix} 2 \\ 1 \end{bmatrix}$	Parkfield	1 17	0 2
Huskisson Street  Ivy Street  Jackson Street	1 8 8	0 1 1	Parkfield Avenue Patten Street Pilgrim Street	$\begin{bmatrix} 1 \\ 2 \\ 1 \end{bmatrix}$	$\begin{bmatrix} 0 \\ 0 \\ 1 \\ 0 \end{bmatrix}$
King's Mount Kinmel Street Knox Street	4 1 0	$\left \begin{array}{c}1\\0\\0\end{array}\right $	Pleasant Street Pool Street Price Street	5 1 19	2 0 1

#### TABLE IV.—Continued.

Streets.	Total from all Causes.	From Zymotic Diseases only.	STREETS.	Total from all Causes.	From Zymotic Diseases only.
German Terrace	1 4	0	Tranmere Vale Tranmere Vale Terrace	6 2	0
Myrtle Place	2	$\begin{array}{c c} 1 \\ 1 \end{array}$	Tunnel Road	$\tilde{1}$	0
Prince's Square Prince's Street	3	0	Godfrey's Terrace	3	ĭ
Prince's Terrace	ĭ	0	Matthews' Court	2	Ô
Priory Street	3	0	Upper Beckwith Street	4	ő
Pym Street	2	ő	Eagle Court	3	0
Quarry Bank Place	3	ĭ	Upton Road	1	0
Queensbury Street	3	0	Vicker Street	2	1
Railway Station	1	0	Vincent Street	1	0
Reedville	1	1	Vine Street	5	0
Rhyl Street	3	0	Victoria Wharf	1	0
Roberts Street	$\frac{1}{2}$	0	Vittoria Street	2	1
Rose Street	$\begin{bmatrix} 3 \\ 2 \end{bmatrix}$	1	Vulean Street	6	1
Rowland Street Russell Street	$\frac{z}{1}$	0	Wallasey Dock	$\begin{array}{c c} 1 \\ 1 \end{array}$	0
St. Anne Street	24	0 5	Walton Street	8	0
St. Anne's Terrace	2	0	Warwick Street Waterloo Place	2	1
St. John Street	0	0	Rushton's Court	3	0
St. John's Place	3	ĭ	Watson Street	9	2
St. Mary's Avenue	2	ō	Byrom Street	4	$\tilde{1}$
St. Mary's Gate	2	ő	Oakfield View	2	1
Priory Court	1	0	Orderly Residence	1	0
Salisbury Street	1	0	West Float	1	0
Samuel Street	2	0	Westbourne Road	3	0
Shore Road	1	0	Whetstone Lane	2	0
Shrewsbury Road	1	0	Whetstone View	2	1
Sidney Street	3	1	White Street	6	1
Slatey Road Somerville Street	$\frac{1}{3}$	0	Wilbraham Street	2	0
Shaw's Terrace	2	0	Wilkinson street	4	0
Stanley Road	2	$\frac{0}{2}$	Willaston Place William Street	$\frac{1}{6}$	0
Stanley Court	2	0	Wilson Street	5	0
Sun Street	8	2	Wilton Street	$\frac{\sigma}{2}$	()
Taylor Street	4	$\tilde{2}$	Windsor Street	3	ĭ
Tetbury Street	0	ō	Wirral Hospital	14	4
Richmond Cottages	1	0	Wood Street	9	ō
Thomas Street	12	1	Morpeth Buildings	4	2
Tollemache Road	1	0	Woodehureh Road	1	0

## TABLF IV.—Continued,

B.—Oxton, Egerton, Mersey, and Clifton Wards.

			,		
STREETS.	Total from all Causes.	From Zymotic Diseases only	STREETS.	Total from all Causes.	From Zymotic Diseases only.
ATT 1 TO		4	77 1 77777		
Albert Place	3 1	$\begin{bmatrix} 1 \\ 0 \end{bmatrix}$	Holt Hill	$egin{array}{c c} 2 \\ 1 \end{array}$	0
Allerton Grove	1	0	Holt Road	$\frac{1}{2}$	0
Allerton Road	1	Ö	Howson Street	$\frac{2}{2}$	0
Argyle Street South	3	0	Hughes' Lane	1	0
Back Pitt Street	1	0	Kellett's Place	1	0
Back Portland Street	1	0	Kingsland Road	2	0
Barton's Buildings Beaconsfield Road	1 5	$\begin{bmatrix} 1 \\ 0 \end{bmatrix}$	Lee's Placo	1 1	0
Bebington Road	1	0	Lingdale, Oxton	1	0
Bedford Place	1	0	Liverpool Buildings	1	0
Bedford Road	5	1	Liversidge Road	1	0
Beech Road	3	1	Livingstone Road	3	1
Beresford Road, Oxton	3 2	0 0	Lorne Road	1 1	0
Birkenhead Buildings Blucher Street	$\frac{2}{2}$	0	Lunar Street	3	0
Booth Street	1	1	Marsden Villas	1	0
Borough Road	8	0	Meadow Lane	5	2
Brougham Street	5	2	Medway Road	3	0
Brunswick Street	2	0	Mersey Road	1	0
Buxton Road	5	0	Meteor Street Mill Street	$\frac{2}{4}$	0
Carlton Road Chapel Place	1	1	Milton Road	2	Ö
Chapel Street	2	ō	Mount Pleasant, Oxton		0
Charlescombe Street	1	1	Moss Grove	1	0
Chatham Road	2	0	Newburn's Cott'ges, Oxtn	1	1 0
Chesnut Grove	1 2	0	New Chester Road Oaktree Place	$\frac{11}{2}$	0
Church Road Clare Street	5 1	$\begin{bmatrix} 0 \\ 0 \end{bmatrix}$	Old Chester Road	10	1
Claughton Firs, Oxton		ő	Olive Crescent	1	0
Clifton Road	3	0	Olive Mount, Oxton	1	0
Clyde Street	2	0	Oxton	1	0
Cobden Street	6	0	Palm Grove, Oxton	$\begin{array}{c c} 1 \\ 1 \end{array}$	$\begin{array}{c} 0 \\ 1 \end{array}$
Combermere Terrace	1 1	0	Parr's Road	15	6
Comet Street  Dee Street	$\frac{1}{2}$	0	Pitt Street	4	0
Dial Road	ī	ı ĭ	Planct Street	1	0
Dingle Road	3	0	Poplar Road	4	0
Earl Street	2	1	Prince's Place	3 4	$0 \\ 1$
Egerton Park	$\begin{vmatrix} 3 \\ 2 \end{vmatrix}$	$\begin{bmatrix} 0 \\ 0 \end{bmatrix}$	Queen Street	2	2
Fairfield Road Fair View	1	0	Queen's Buildings	$\frac{1}{4}$	2
Fairview Road, Oxton	2	0	Queen's Court	1	0
Foundry Street	1	0	Queen's Place	3	$\frac{1}{2}$
Frodsham Street	4	0	Randle Street	1	0
Green Lane	$\begin{vmatrix} 2 \\ 1 \end{vmatrix}$	1 1	Rich View, Oxton	1	0
Green Lawn	3	0	Rockville Street	1	0
The Grove, Oxton	1	i	Rodney Street	6	2
Grove Road	2	0	Rose Mount, Oxton	4	0
Helmingham Road	1	1	Roso Cottages	1	1
Hollybank Road	1	0	Russell Court	A deliated at the National	WAS WILLS

## TABLE IV.—Continued.

STREETS.	Total from all Causes.	From Zymotic Diseases only.	STREETS.	Total from all Causes.	Erom Zymotio Diseases only.
Russell Place	1	1	Tower Hill	1	0
Russell Road	10	2	Tranmere	1	0
St. Paul's Place	2	0	Tudor Road	2	0
St. Paul's Road	5	0	Union Street	1	1
Salem View	1	1	Victoria Mount	2	0
Seabank Cottages	4	1	Victoria Road	10	1
Seton Road	1	0	Villago Road, Oxton	1	1
Seymour Street	2	1	Walker Street	2	1
Shrewsbury Road, Oxton	3	3	Well Cottage, Oxton	1	0
Sidney Terrace	2	0	Well Lane	6	0
Sidney Road	1	0	Wellington Terrace	1	0
South Bank, Oxton	1	0	Wesley Street	1	0
South Road	1	0	Westbury Street	1	0
Spring Villas, Oxton	2	0	West View	2	ì
Spring Street	2	0	Whitford Road	3	1
Stanley Street	2	0	Whitfield Street	2	0
Stanley Terrace	1	1	Whetstone Lane	6	1
Star Street	2	1	Willey Street	1	0
Stewart's Delf	1	0	Willow Bank Road	1	0
Stewart's Place	2	0	Woodehurch Lano	1	0
Stewart's Road	2	0	Woodchurch Rd., Oxton	2	1
Storeton Road, Oxton	2	0	The Woodlands	1	0
Taylor's Delf	2	0	Woodland Terrace	1	0
Thompson Street	1	0	Wye Street	4	2

#### C.—Bebington Ward.

STREETS.	Total from all Causes.	From Zymotic Diseases only.	Streets.	Total from all Causes.	From Zymotio Diseases only.
Daere Hill	2 2 1 1 1 1 8	0 0 1 0 0 0	Rock Park Wilton Road Wilton Terrace Woodlands Woodlands Park Woodlands Terrace	3 1 1 1 1 1 1 1	1 0 0 0 0

#### SUPPLEMENT TO TABLE IV.

RETURN of DEATHS in Birkenhead Union Hospital and Workhot Registered during 1881.

	-					
Date	Sex.	Age.	Occupation, &c.	Cause of Death.	Date and Address when Adm	of Deceased
Jan.	м.	66	Labourer	General paralysis	Unknown	June, '(
5	M.	3 m	Servant's son	Convulsions	Born in Wk'house	10.0.1
7 15	F. M.	80	Stonemason's wid. Labourer	Senility Bronehitis	9, Field-street No address	13 Oet., " 10 Jan., '{
22	F.	80	Plasterer's widow.	Senility	39, Old Bidston-rd	29 Oct., "
23	M.	83	Shipwright	Senile pneumonia	Albert-place,	
00			27	G - 1114	Tranmere	26 July, '{
28	F.	77	Nurse	Senility	8, William-street, Seaeombe	12 Mar., 'i
29	M.	67	Labourer	Senile pneumonia		12 mai., 1
	1.1		2300001101	1	Birkenhead	6 Sep., "
29	F.	16	Domestic servant	Pneumonia	Union schools	28 Jan., 'i
Feb.	177	71	C1. :	Dwange	100 Duine atmost	10 May "
$\frac{2}{2}$	F. F.	71 70	Shipwright's widow Labourer's widow.	Dropsy Senility	400, Price-street. Dock Cottages	18 May, ", 7 Sep., ",
$\frac{2}{2}$	M.	52	Labourer	Pneumonia	97, St. Ann-st	1 Feb '{
3	F.	60	Stonemason's wid	Dropsy	44, Egerton-st	27 Jan., '8
7	M.	31	Shoemaker	Pneumonia	Tramp sheds	31 Jau., '§
7	M.	1 d.	Servant's son	Premature birth	Born in W'khouse	6 Feb., '8
11	M.	44	Labourer	Capillary bron-	W 0 1 1	0 171ah 16
12	F.	45	Painter's widow	chitis Cerebralsoftening	5, Oak-street 12, Myrtle-place, Price-street	9 Feb., '8 6 Nov., '7
17	M.	76	Labourer	Senility	Not known	10 Apl., '6
19	F.	1	Labourer's d'ghter	Marasmus	47, Thomas-st	7 Dec., '8
19	M.	63	Labourer	Cirrhosis	5, Meaeoek-st	27 Jan., '8
22	F.	40	Painter's widow	Chronic bronehi-		C T 'C
- 1			G1 1- 1	tis	st., Egremont	6 Jan., '8 16 July, '8
24	M.	1	Charwoman's son	Measles	3, Oak-street 6, Walton-street	15 Oet., '7
24 26	M. M.	1 1	Labourer's son Charwoman's son	Measles	7, Meaeoek-st	25 Jan., '8
Mar		1	Chai woman b bon			
2	M.	1	Seamstress's son		Born in W'khouse	
4	F.	73	Shoemaker's widow	Senility		
			Chinaminal Ale mideen	Senile bronchitis.	road	o sep.
4	F.	82	Shipwright's widow	Seime bronemus.	Tranmere	18 May, '8
4	M.	1	No occupation	Measles		
4			Brieklayer's son	Measles	Queen-st., Tran-	10
	212.1				mere	17 Aug., '8 21 Jan., '8
4	M.	16m	Labourer's son	Measles	9, Herbert-place.	
7	F.	23m		Measles	29, Queensbury-st No address	11 Dec., 6
7	M.		Sawyer	Gastritis	Born in W'khouse.	4 Juue,
8	F.	1	Charwoman's d'hter Locksmith's widow.		35, Egerton-st	23 Oct., '8
$\begin{array}{c} 11 \\ 12 \end{array}$	F.	81 6 m	1.0	7.5 3	97, Old Chester-rd	18 Feb., 5
13	M.		Coach-spring maker		20, Jackson-st	16 Nov., 7
10	717.0		7-1-0			

## SUPPLEMENT TO TABLE IV .- continued.

	-					
e.	Sex.	Age.	Occupation, &c.	Cause of Death.	Date and Address when Adm	
	F.	53	Blacksmith's wife	Ileus	2,West-view, New Chester - road,	4 × % ₹ - 10 4
	M.	5	Fireman's son	Measles	Tranmere Queen's-buildings, Tranmere	15 May, '81 4 Feb., '79
	М. М.	77 80	Labourer Ropemaker	Senile deeay	18, Abbey-street Green-lane, Tran-	8 Nov., '77
	M. M. F.	59 6 76	Labourer Unknown Charwoman	Heart disease Tubereulosis Caneer	mere 12, Minstral-st Union sehools 23, Albion-street.	17 Jan., '81 19 Oct., '80 10 Jan., '81 15 Jan., '72
	F. M.	$rac{2  ext{ m}}{54}$	Charwoman's d'hter Labourer	Convulsions Ulceration of	Born in W'khouse	
	F. M. F.	38 60 45	Labourer's wife Cab driver Brieklayer's widow	knee joint Embolism Tubereulosis Delirium tremens	29, Windsor-st 2,Castle-buildings 20 Watson-st 5 Tranmere Vale-	3 Mar., '81 6 Apr., '81 8 Feb., '81
	М. М.	56 70	SeamanLabourer	Heart disease	terrace 258, Conway-st 22, Earle-st, Tran-	21 Apl., '81 14 Apl., '81
	M.	46	Labourer	Paralysis syphilis	mere 126, Market-st	28 Mar., '81 14 July, '80
У	F. M.	68 64	Shoemaker's widow Joiner	Senility Bronehitis	William-street No address (dau-	22 Jan., '74
	F.	3	Shopman's d'ghter	Measles	ghteratHoylake) Removed from Kidderminster, lived at New	4 May, '81
Ď.	M.	28	Tailor	Cerebral disease	Brighton in May, 1879 Tramp sheds	11 Feb., '81 28 July, 80
	M.	60	Watehmaker	Hemiplegia	Abbotsford-street, Seacombe	19 Apl., '81
Ì	F. M.	65 32	Charwoman Bookkeeper	Hemiplegia Cardiae insuffi- eieney	127, Oliver-st	8 Aug., '77
y	F. M.	29 59	Charwoman Brieklayer	Disease of heart Erysipelas	17, Nelson-st "Birkenhead," no	28 June, '81
	M.	28	Labourer	Cardiae dropsy	address 18, Byrom-place	25 May, '81 28 July, '81
ţ.	M. F.	53 53	Labourer Labourer's widow	Heart disease Debility	20, Egerton-st Magazines, New	1 Jan., '81
	M. M. M. F.	60 77 83 40 64	Painter	Debility Senility Senile grangrene. Cardiae	No address	22 Sep., '79 23 July, '81 8 Dec., '74 11 Aug., '81 9 July, '81
-	TiT.	0.1	Blacksmith	Senility	87 Claughton-rd.	5 Mar '78

#### SUPPLEMENT TO TABLE IV.—continued.

		Ī		1			_
Date.	Sex.	Age.	Occupation, &c.	Cause of Death.	Date and Address when Adn	of Decease	ed
-							-
Sep.							
18	M.	66	Labourer	Senile decay	Matthew's - place Old Chester-rd.	24 Feb.,	3176
24	М.	15 d	Servant's son	Found dead in	9 Hughes's-build- ings		
Oet.				_			01
16	М.	60	Seaman	Pneumonia	S.S. "City of Manchester"	14 Oct.,	701
18	M.	64	Seaman	Paralysis	Priory-street	25 Apr.,	178
22	M.	50	Labourer	Pneumonia	Egerton-street	21 Oct.,	'81
22	М.	67	Labourer	Accidentally killed by blow			ı
27	F.	5	Labourer's daugh-	on head	Tramp Sheds	16 Mar.,	·81
00	76.40*		ter	Tubereulosis	Claughton	20 June	, 181
$\begin{bmatrix} 28 \\ 28 \end{bmatrix}$	М. F.	77 61	Farmer	Senile decay	Egremont	27 Oct., 17 Oct.,	'81
30	M.	$\begin{bmatrix} 51 \\ 52 \end{bmatrix}$	Seaman's widow Hospital Nurse	Old age, apoplexy Cardiac disease	165 Albion-street. An Officer of the	17 Oct ,	'81
31	М.	63	Labourer	Phthisis	Union Cocoa Rooms,		
			in the second se	THUMBER &	Chester-street	22 Oct.,	281
Nov.	_			~		10	
$\begin{bmatrix} 2 \\ 9 \end{bmatrix}$	F.	78	Coachman's widow.	Senility	58 Watson-street.	28 July,	179
ย	M.	75	Labourer	Senility	Connor's court, Egerton-street.	11 Sep.,	1770
9	M.	74	Labourer	Senile bronchitis.	Back St. Ann-st	13 Sep.,	186
10	F.	39	Rigger's widow	Bronehitis	47 Thomas-street.	26 Oct.,	'81
14	F.	62	Labourer's widow	Dropsy, eirrhosis.	12 Bebington-rd.,		
14	м.	37	Tabannan	Gastric uleer	Tranmere	22 July,	
16	F.	57	Labourer	General paralysis	2 Bridge-end-ter Collingwood-st	13 Oct., 21 Aug,	181
28	F.	75	Labourer's widow	Senile decay	81 Arthur-street	19 Nov.,	
28	F.	60	Labourer's wife	Ulcerated legs	Catheart-street	9 Apr.,	
Dec.							
7 8	M. M.	$\begin{vmatrix} 66 \\ 35 \end{vmatrix}$	Labourer Printer	Senile dementia Syphilitic ulcera-	Egerton street	8 May,	
				tion	30 Oliver-street	14 Nov.,	
15	F.	42	Labourer's wife	Cirrhosis, dropsy.	105 Albion-st	19 Oct.,	
16 17	F.   F.	$\frac{10 \mathrm{m_i}}{65}$	Servant's daughter. Flour de'ler's widow	Premature birth Senile decay	Born in W'house. 39 Thomas-street.	16 Dec., 5 June	
25	M.	5 m	Unknown	Marasmus	Found in Albion-st	27 Aug.,	
27	M.	8 m	Commission agent's	Capillary bron-			
	7.5		son	chitis	Thomas-street	19 Nov.,	
28	M.	40	Painter	Typhoid fever	Meacock-street	5 Dec.,	21
, 1	1		1				
Bridge Colonia State		August 1997					-

TABLE V.

Lunar Monthly Table of Deaths from all Causes and Zymotic Diseases, with the Rates per 1,000 per annum.

1881.       Deaths from all Causes.       Rate per 1,000 Living.         1st Month ending Jan. 28th.       123       18.94       27       4.15         2nd ,, ,, Feb. 25th.       141       21.71       15       2.31         3rd ,, ,, March 25th.       149       22.95       28       4.31         4th ,, ,, April 22nd       139       21.41       20       3.08         5th ,, ,, May 20th.       118       18.17       24       3.69         6th ,, ,, June 17th       94       14.47       17       2.61         7th ,, ,, July 15th.       99       15.24       17       2.61         8th ,, ,, Aug. 12th       89       13.70       20       3.08         9th ,, ,, Sept. 9th       98       15.09       11       1.69         10th ,, ,, Oct. 7th       87       13.40       9       1.38         11th ,, ,, Nov. 4th       91       14.01       13       2.00         12th ,, ,       Dec. 2nd       117       18.02       16       2.46							
2nd       "       Feb. 25th       141       21.71       15       2.31         3rd       "       March 25th       149       22.95       28       4·31         4th       "       April 22nd       139       21.41       20       3·08         5th       "       May 20th       118       18.17       24       3·69         6th       "       June 17th       94       14.47       17       2·61         7th       "       July 15th       99       15.24       17       2·61         8th       "       Aug. 12th       89       13.70       20       3·08         9th       "       Sept. 9th       98       15.09       11       1·69         10th       "       Oct. 7th       87       13.40       9       1·38         11th       "       Nov. 4th       91       14.01       13       2·00         12th       "       Dec. 2nd       117       18.02       16       2.46		188	1.	Deaths from all	Rate per 1,000	Deaths from Zymotio	Annual Rate per 1,000 Living.
2nd       ,,       ,,       Feb. 25th	1st M	Ionth ending	Jan. 28th	123	18.94	27	4.15
3rd       ,,       ,,       March 25th       149       22.95       28       4·31         4th       ,,       ,,       April 22nd       139       21.41       20       3·08         5th       ,,       ,,       May 20th       118       18.17       24       3·69         6th       ,,       ,,       June 17th       94       14.47       17       2·61         7th       ,,       ,,       July 15th       99       15.24       17       2·61         8th       ,,       ,,       Aug. 12th       89       13.70       20       3·08         9th       ,,       Sept. 9th       98       15.09       11       1·69         10th       ,,       Oct. 7th       87       13.40       9       1·38         11th       ,,       Nov. 4th       91       14.01       13       2·00         12th       ,,       Dec. 2nd       117       18.02       16       2.46	2nd	"		141	21.71	15	2.31
4th       ,,       ,,       April 22nd       139       21.41       20       3.08         5th       ,,       ,,       May 20th       118       18.17       24       3.69         6th       ,,       ,,       June 17th       94       14.47       17       2.61         7th       ,,       ,,       July 15th       99       15.24       17       2.61         8th       ,,       ,,       Aug. 12th       89       13.70       20       3.08         9th       ,,       Sept. 9th       98       15.09       11       1.69         10th       ,,       Oct. 7th       87       13.40       9       1.38         11th       ,,       Nov. 4th       91       14.01       13       2.00         12th       ,,       Dec. 2nd       117       18.02       16       2.46	3rd	**		149	22.95	28	4.31
5th       ,,       ,,       May 20th       118       18.17       24       3.69         6th       ,,       ,,       June 17th       94       14.47       17       2.61         7th       ,,       ,,       July 15th       99       15.24       17       2.61         8th       ,,       ,,       Aug. 12th       89       13.70       20       3.08         9th       ,,       ,       Sept. 9th       98       15.09       11       1.69         10th       ,,       ,       Oct. 7th       87       13.40       9       1.38         11th       ,,       ,       Nov. 4th       91       14.01       13       2.00         12th       ,,       ,       Dec. 2nd       117       18.02       16       2.46	447.	**	April 22nd	139	21.41	20	3.08
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	E41.			118	18.17	24	3.69
7th     ,,     ,,     July 15th     99     15.24     17     2·61       8th     ,,     ,,     Aug. 12th     89     13.70     20     3·08       9th     ,,     ,,     Sept. 9th     98     15.09     11     1·69       10th     ,,     ,,     Oct. 7th     87     13.40     9     1·38       11th     ,,     ,,     Nov. 4th     91     14.01     13     2·00       12th     ,,     ,,     Dec. 2nd     117     18.02     16     2.46	CAL	**		94	14.47	17	2 61
8th     ,,     ,,     Aug. 12th     89     13.70     20     3.08       9th     ,,     ,,     Sept. 9th     98     15.09     11     1.69       10th     ,,     ,,     Oct. 7th     87     13.40     9     1.38       11th     ,,     ,,     Nov. 4th     91     14.01     13     2.00       12th     ,,     ,,     Dec. 2nd     117     18.02     16     2.46	7th		July 15th	99	15.24	17	2.61
10th     ,,     ,,     Oct. 7th     87     13.40     9     1.38       11th     ,,     ,,     Nov. 4th     91     14.01     13     2.00       12th     ,,     ,,     Dec. 2nd     117     18.02     16     2.46	8th		Aug. 12th	89	13.70	20	3.08
11th ,, ,, Nov. 4th 91   14.01   13   2.00   12th ,, ,, Dec. 2nd 117   18.02   16   2.46	9th	"	Sept. 9th	98	15.09	11	1.69
12th ,, ,, Dec. 2nd 117   18.02   16   2.46	10th	,, ,,	Oct. 7th	87	13.40	9	1.38
77 77	11th	,, ,,	Nov. 4th	91	14.01	13	2.00
1941. /		"	Dec. 2nd	117	18.02	16	2.46
13th ,, (+ one day) ending December 31st				117	18.02	14	2.15
Year 1462 17.32 231 2.73		Year.	• • • • • • • • • • • •	1462	17.32	231	2.73

**TABLE VI.**Description of those who Died during 1881.

Occupation, &c.	M.	F.	Son.	Daughter.	Wife.	Widow.
Accountant Agent Annuitant Apprentice Architect Army officer Artist Baker Banker Banker Barman Basketmaker Blacksmith Blockmaker Bookbinder Bookbinder Bookbeller Brassfinisher Bricklayer Bricklayer Bridewell keeper Broker Builder 'Bus driver Butcher Cabinetmaker Car driver Car driver Cartowner Carter Cartowner Carter Cartowner Carter Charwoman Chemist Chimney sweeper Civil engineer Clergyman Clerk Coachbuilder Coachsmith Coal merchant Colliery proprietor Confectioner Contractor Cooper Cotton spinner Customs' officer	2 1 8 11 14 5 6 2 1 10 3 6 1 1 3 6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		2 5 2 1 3 4 1 4 1 4 6 1 5 1 1 1 7 1 1 3 1 3 8 1 3 8 1	1 4 2 6 1 2 1 4 1 1 3 3 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 2	

## TABLE VI,—Continued.

Occupation, &c.	M F	Son.	Daughter.	Wife.	Widow,
Dockgateman Domestic servant Draper Draughtsman Driller Dyer Engine driver Engine fitter Engineer Errand boy Farmer Farrier Ferry collector File cutter		1 15 3 2 7 5 1 1 2 15 87 4			1


#### TABLE VI.—Continued.

	1		1			
Occupation, &c.	M	F	Son.	Daughter	Wife.	Widow.
Manufacturer Maori Chief Marine store dealer Mariner Master mariner Medical practitioner Merchant Milk dealer Millwright Miner No occupation Nurse Optician Ostler Painter Pattern maker Pawnbroker Pensioner Photographer Pilot Plasterer Plumber Policeman Porter Potter Printer Provision dealer Puddler Quarryman Railway servant Retired army officer Retired dradesman Rigger Rivetter Rope maker Saddler Sailmaker Salesman Sawyer	2	#	1 16 1 · · · · · · · · · · · · · · · · ·	13 . 1 1		1
Schoolmaster Secretary Seamstress Seedsman Shaft sinker Shipbuilder Ship carpenter Ship chandler Ship cook	1	1	·· 1 ·· ·· ·· ·· ·· ·· ·· ·· ·· ·· ·· ··	1		1  2 1
Ship keeper Ship owner Ship purser	1	• •	1 	• •	• •	


55


## TABLE V—Continued.

Occupation, &c.	М	F	Son.	Daughter.	Wife.	Widow.	
Ship smith Ship steward Shipwright Shoemaker Shopkeeper Silversmith Shorthand writer Slater Solicitor Stationer Stevedore Stoker Stonemason Storekeeper Student Surveyor Tanner Tailor Timekeeper Tinsmith Traveller Turner Unknown Upholsterer Van driver Veterinary surgeon Warehouseman Watchmaker Watchman Waterman Weaver Wheelwright Whitesmith Windowblind maker Yardman	1 1 2 2 6 1 9 9 9	27	1	1 11 6  1 1 1 1 1  3 1 1 1 3 2  2  1 1 2 1  2 1	1 1 4	2 3 1 2 5 1 1 1 1 2 3 2 316	
	141	21	599	551	168	210	









## HEALTH, BATHS, AND PARKS COMMITTEE

OF THE

# BIRKENHEAD TOWN COUNCIL,

1882-3.

MR. COUNCILLOR FREDERICK SMITH, CHAIRMAN.

Mr. Councillor THOMAS INGLEFIELD, DEPUTY-CHAIRMAN.

MR. ALDERMAN WILLIAM CROWE.

MR. COUNCILLOR RICHARD BELL.

MR. COUNCILLOR ELLIS DAVIES.

MR. COUNCILLOR EDWARD FRIEND.

Mr. Councillor ISHAM HENRY EDWARD GILL.

Mr. Councillor EDWARD BRAILEY HATFIELD.

MR. COUNCILLOR EDWARD JONES.

MR. COUNCILLOR JAMES JONES.

MR. COUNCILLOR WILLIAM LAIRD, J.P.

Mr. Councillor WILLIAM JOSEPH LITTLE.

MR. COUNCILLOR THOMAS SHAW.

MR. COUNCILLOR WILLIAM SMITH.

MR. COUNCILLOR SAMUEL SPRATLY, M.D.

MR. COUNCILLOR THOMAS GOODALL WILKINSON.

AND

HIS WORSHIP THE MAYOR.